

- Fig. 46. *Discorbina pulvinata* Brady. Basal view of specimen in which the internal septa and central portion of the base have been absorbed after process of reproduction. All $\times 145$.
- 47-48. " *tabernacularis* Brady. Adult budded pairs. $\times 145$.
49. " " " Basal view of specimen, showing young individuals. (The marginal edge is broken away.) $\times 145$.
50. " *lauriei*, nom. nov. Superior view.
51. " " " Basal (oral) view.
- 52-55. " " " Specimens showing budding young in various stages of development. All $\times 145$.
56. " *pyramidalis*, sp. nov. Side view, short (typical) form.
57. " " " " long form.
58. " " " Basal side view.
59. " " " Apical side view.
60. " " " Basal view.
61. " " " Budding pair. All $\times 145$.
62. *Gypsina inherens* Schultze. Specimen showing young individuals in broken chamber. $\times 145$.
63. " " " Specimen suggesting *Holocladina* (see text). $\times 55$.
64. " " " Wild-growing specimen. $\times 25$.
65. *Baculogypsina spherulata* (Parker & Jones). A young individual in balsam, showing the transition from the early rotaline plan of growth to the acervuline later stages. The rotaline chambers are shown dark owing to the chitinous lining. Axial canals perforate the spines and communicate with the primordial chamber. $\times 105$.

INDEX.

[Synonyms and native names are printed in *italics*. A star * denotes the first publication of a name; a dagger † denotes a fossil. The absence of an authority is due to omission by the respective authors.]

- Aaptos aaptos, *O. Schmidt*, 479, 508.
 — *adriatica*, Gray, 508.
- Abrolhos Islands: Amphipoda and Isopoda, 1; Echinoderms, 229-251; Opisthobranchiata, 521; sea-pens, 21; sponges, 477.
- Acamarchis*, Lamx., 297.
 — *dentata*, Lamx., 297.
 — *neritina*, Lamx., 297.
- Acanthodoris pilosa, 569.
- Acantholeberis curvirostris, *Lilljeb.*, 425, 437.
- Acarapis woodi, *Hirst*, 382.
- Acari, new species, 363-392.
- Acarus marginatus*, Herm., 366.
- Acerulina inharens*, Schultze, 637.
- Acroperus harpæ, *Baird*, 423, 425.
- Actheres, 90.
- Actinodoris*, Ehrenb., 553.
 — *sponsa*, Ehrenb., 553.
- Actinometra annulata*, Bell, 233.
 — *nigra*, P. H. Carp., 232.
 — *stelligera*, P. H. Carp., 232.
- Actinophrys, *Ehrenb.*, sp., 457, 473.
- Adults, phyletic succession, 83.
- Aetea, *Lamx.*, 297, 308, 309, 316.
 — *anguina*, 297.
 — *ligulata*, Busk, 304.
 — *truncata*, *Landsb.*, 297, 309.
- Aeteopsis*, Boeck, 297.
 — *elongata*, Boeck, 297.
- Æthusa ciliatifrons*, *Fax.*, 47, 48.
- Æthusina*, 48.
 — *gracilipes*, *Miers*, 47, 78.
- Alcedo ispida, *Linn.*, its brilliant colouring aposematic, 288.
- Alecto parvicirra*, J. Müller, 234.
- Algæ, food of Daphnia, 416.
- Alicus rostratus, *Träg.*, 383.
- Allantion, *Sandon**, 461; mentd., 452, 475.
 — tachyploon, *Sandon**, 461; mentd., 452, 457, 467.
- Alloniscus, *Dana*, 107; four spp., 108.
 — *alluaudi*, *Dollf.*, 108.
 — *brevis*, *Budde-Lund*, 108.
 — *elegans*, *Dollf.*, 108.
 — *guttatus*, *Dollf.*, 108.
 — *nacreus*, *Collinge**, 107, 108, 113.
 — *pallidulus*, *Budde-Lund*, 108.
 — *pigmentatus*, *Budde-Lund*, 108.
 — *tigris*, *Dollf.*, 108.
- Alloidoris, *Bergh*, 547.
 — *hedleyi*, *O'Don.**, 523, 547, 549, 550, 577, 579.
 — *lanuginata*, *Abrah.*, 549.
 — *marmorata*, *Bergh*, 547, 548, 549, 550.
- Alona affinis, *Leyd.*, 425.
 — *rustica*, *T. Scott*, 425.
- Alonella excisa, 425.
 — *nana*, 425.
- Alonopsis elongata, *Sars*, 414, 423, 424, 425.
- Altson, A. M., Method of oviposition and the egg of *Lyctus brunneus*, *Steph.* 217-227; Genital system of *Lyctus brunneus*, *Steph.*, 581.
- Alveolina, *Orb.*, 612.
 — *melo*, *Heron-All. & Earl.*, 612.

- Alysidium*, *Busk*, 298.
 — *lafontii*, *Busk*, 298.
 — *parasiticum*, *Busk*, 298.
Amastigia, *Busk*, 298, 300, 325, 329, 339, 347, 358.
 — *abyssicola*, 335.
 — *antarctica*, 338.
 — *benemunita*, 331, 334, 358.
 — *caberioides*, 335.
 — *crassimarginata*, 334.
 — *funiculata*, 335.
 — *gaussi*, 338.
 — *kirkpatricki*, *Levinson* *, 295, 328, 335, 337, 338, 341, 358, 359, 361.
 — *nuda*, *Busk*, 330, 331, 332, 333, 335, 359, 360, 361.
 — *pateriformis*, 339.
 — *rudis*, 332, 333, 334, 345, 360, 361.
 — *solida*, 338.
Amblypneustes pallidus, *Valenciennes*, 249; distrib., 229, 232.
Ameletus ornatus (*Eaton*), wing-veins, 145-160.
 — *perscitus*, *Eaton*, wing-veins, 153.
Amœba actinophora, *Auerb.*, 452, 457, 468, 470.
 — *diploidea*, 457.
 — *limax*, *Duj.*, 457, 468.
 — *limicola*, *Rhumb.*, 469.
 — *radiosa*, *Ehrenb.*, 457.
 — *sp.*, 457.
 — *striata*, *Penard*, 452, 469.
 — *terricola*, *Greef*, 452, 457, 469.
 — *vespertilio*, *Penard*, 452, 469.
Amorphina Duchassaingii, *Tops.*, 508.
Amphimetra jacquinoti, *A. II. Clark*, 234; distrib., 231.
 Amphipoda from Abrolhos, 1.
Amphioxus, *Varr.*, 90.
Amphistegina, *Orb.*, 640.
 — *lessonii*, *Orb.*, 640.
 — — *var. gibba*, *Orb.*, 641.
 — *mamillata*, *Orb.*, 641.
Amphithoë setosa, *Hasw.*, 12.
Anabæna, *A. Juss.*, food of *Daphnia*, 416.
Anchinoë fictitoides, *Dendy*, 504, 479, 519.
 — *fictitius*, *J. Steph.*, 505.
Ancorina aptos, *O. Schmidt*, 508, 509.
 — *adriatica*, *Vosm.*, 508.
 — *australiensis*, *Lendenf.*, 475, 492.
 — *brevidens*, *Dendy* *, 493, 478, 479, 519.
Andersonia, *Boulenger*, 298.
Anderssonia, *Kluge*, 298, 329.
 — *antarctica*, *Kluge*, 298, 338.
Anderssonia, *Strebel*, 298.
Angasiella, *Angas & Cross*, 568.
Anguinaria, *Lam.*, 298.
 — *spatulata*, *Lam.*, 298.
 — *truncata*, *Landsb.*, 304.
Angularia, *Busk*, 298.
Anisonema minus, *Sandon* *, 462, 475; mentd., 452, 457.
Anisoptera, mentd., 143.
Antedon, *Frem.*, 86, 93, 95, 96, 97.
 — *gyges*, *Bell*, 234.
 — *serripinna*, *P. II. Carp.*, 235.
Antennæ of Chlorops, 406.
Antennophorus uhlmanni, *Haller*, 367.
Anthenea australiæ, *Döderlein*, 238; distrib., 230, 232.
 — *globigera*, *Döderlein*, 239; distrib., 230, 232.
 — *pentagonula*, *Perrier*, mentd., 239.
Antipora cristata, 569.
Aphanizomenon, *Morr.*, food of *Daphnia*, 416.
Aphelodoris, *Bergh*, 556.
 — *affinis*, *Eliot*, 556, 558, 577, 579.
 — *antillensis*, *Bergh*, 556.
Aplysia, *Linn.*, 527, 528.
 — *denisoni*, *Smith*, 533.
Apocheima, *Schæff.*, 88.
Apus cancriformis, *Schæff.*, in *Scotland*, 420.
Arcella arenaria, *Greef*, 452, 454, 471.
 — *vulgaris*, *Ehrenb.*, 452, 471.
Archidoris incerta, 570.
 — *tuberculata*, 569.
Arhina, *Collinge*, 108.
Armadillidium œlatum, *Mjers*, 103, 104.
 — *purpurascens*, *Kröy.*, 105.
Armadillo horridus, *Budde-Lund*, 108.
Armina cygnea, 523.
Arrhenurus insulanus, *Koen.*, 388.
Arthropoda, mentd., 285.
Ascoleucetta, *Dendy* *, 477.
 — *compressa*, *Dendy* *, 481, 477, 518.
 Asexual reproduction in *Ptychodera*, 393.
Assulina minor, *Penard*, 472.
 — *muscorum*, *Greef*, 453, 457, 472.
 — *semiculum*, *Leidy* (pars), 472.
Astacus, *Gron.*, 35, 39.

- Asterias pectinata*, Linn., 233.
Asterina, *Nardo*, mentd., 244.
 — *burtonii*, *Gray*, 243; distrib., 232.
 — *gunnii*, *Gray*, 243; distrib., 229-230.
Asteroides from West Australia, 235-245.
Asteronotus, *Ehrenb.*, 550.
 — *bertrana*, 570.
 — *fuscus*, *O'Don.**, 551, 523, 552, 577, 579.
 — *hemprichii*, *Ehrenb.*, 550.
Asteropus simplex, *Dendy**, 478, 494.
Astropecten preissii, *Müller & Troschel*, 235; distrib., 229-30.
Aurora rowi, *Dendy*, 478, 494.
 Australia (West), see Echinoderms.
Avicella, Van Bened., 298.
Avicularia, internal, 318.
Avicularia, *Lam.*, mentd., 298.
Avicularia, *Gray*, 298, 314, 315.
 — *flabellata*, *Gray*, 298, 299.

Bactridium, *Reuss*, 298.
 — *hagenowi*, *Reuss*, 298.
Baculogypsina, *Sacco*, 638.
 — *baculata*, *Silv.*, 638, 647.
 — *spharulatus*, *Cushm.*, 638.
Balanoglossus, *Delle Ch.*, 393.
Balantiophorus minutus, *Schew.*, 453, 457.
Barentsia, *Hincks*, 315.
Basipharynx of Chlorops, 409.
Bathyrinus, *Thoms.*, 95.
Bathydoris, 547.
Beania, *Johnst.*, 298, 304, 306.
 — *mirabilis*, *Johnst.*, 298.
 Bees, their mental qualities influence the evolution of flowers, 287.
Benthesicymus altus, 45.
Berthella, *Blainv.*, 536.
 — *plumula*, 523, 536, 538, 578.
 — *porosa*, *Blainv.*, 536.
Bicellaria, *Macq.*, 299.
Bicellaria, *Blainv.*, 298-300.
 — *aculeata*, *Orb.*, 317, 355.
 — *alderi*, *Busk*, 299.
 — *annulata*, *Mapl.*, 317.
 — *ciliata*, *Blainv.*, 298, 299.
 — *grandis*, *Busk*, 306.
 — *infundibulata*, *Busk*, 306.
Bicellariella, *Lev.*, 299.
 — *ciliata*, *Lev.*, 299.

Bicellarina, *Lev.*, 299.
 — *alderi*, *Lev.*, 299.
Biemna microaxa, *Hentsch.*, 503.
 — *tubulata*, *Dendy*, 479, 503.
Bifrons, *MacGill.*, 299.
 Bifurcation of *Menipea* and *Scrupocellaria*, 321; — of *Polyzoa*, 320.
Biloculina, *Orb.*, 602.
 — *depressa*, *Orb.*, 602.
 — — var. *serrata*, *Bail.*, 602.
 — *elongata*, *Orb.*, 603.
 — *oblonga*, *Orb.*, 603.
 — *opposita*, *Desh.*, 603.
 — *ringens* var. *striolata*, *Brady*, 602.
 — *sarsi*, *Schlumb.*, 602.
Bimichaelia crassipalpis, *Halb.**, 383, 392.
 Biogenetic Law restated, 81-101.
 Bird-of-Paradise, courtship activities, 278.
 Birds, courtship activities in various kinds of, 253-292.
Bittacomorpha, *Westw.*, 409.
 Blackbird, courtship activities, 263.
 Blackcock, courtship activities, 270, 277, 287.
 Black locust tree, mentd., 217.
Blepharisma laterita, *Ehrenb.*, 453, 457.
 Blue Tit, courtship activities, 287.
Bolivina, *Orb.*, 621.
 — *dilatata*, *Reuss*, 621.
 — *inflata*, *Heron-All. & Earl.*, 622.
 — *limbata*, *Brady*, 622.
 — — var. *abbreviata*, *Heron-All. & Earl.**, 622.
 — *plicata*, *Orb.*, 622.
 — *punctata*, *Orb.*, 621.
 — *robusta*, *Brady*, 621.
 — *textilarioides*, *Reuss*, 621.
 — *tortuosa*, *Brady*, 621.
 — *variabilis*, *Heron-All. & Earl.*, 622.
Borradaile, L. A., Mouth-parts of Shore Crab, 115-142.
Bosmina brevicornis, *Hellich*, 446.
 — *coregoni*, *Baird*, 444.
 — *coregoni-longispina*, *Rühe*, 444.
 — *longirostris*, *Baird*, 425, 446; distrib., 414, 418, 424.
 — *obtusirostris*, *Sars*, 421, 422, 423, 425, 443-445; distrib., 414, 415, 418.
 Bourne, G. C., *Raninidæ*, 25-79.
 Bower-bird, courtship activities, 269.
Brachytecium salebrosum, *Schimp.*, 457.
 Branching of *Bugula*, 321, 323, 324.

- Brephos parthenias*, 86.
Brettia, *Dyst.*, 299; mentd., 300.
 — *pellucida*, *Dyst.*, 299.
Breyia australasie, *Gray*, 251; distrib., 229, 232.
Briarella microcephala, 570.
 — sp., 570.
Bryobia humeralis, *Halb.**, 385, 392.
 — *pretiosa*, 385.
Bryum, *Dill.*, spp., 450.
Bugula, *Oken*, 298, 299, 306, 311, 314, 315, 326; its branching, 321, 323, 324; mentd., 300.
 — *abyssicola*, Kluge, 300.
 — *angusta*, Kluge, 300.
 — *areolata*, Kluge, 300.
 — *avicularia*, *Oken*, 299.
 — *ciliata*, *Oken*, 299.
 — *dentata*, 326, 359.
 — *flabellata*, 299.
 — *gigantea*, Kluge, 300.
 — *johnstonæ*, 326, 359.
 — *lata*, Kluge, 300.
 — *lewaldii*, Kluge, 300.
 — *leontodon*, Busk, 311.
 — *margaritifera*, Busk, 311.
 — *multispinosa*, Kluge, 300.
 — *murrayana*, 309.
 — *neritina*, *Oken*, 299.
 — *retiformis*, Kluge, 300.
 — *scaphoides*, *Kirkp.*, 326, 359.
 — *sinuosa*, Busk, 311, 312.
 — — var. *variabilis*, Kluge, 312.
 — sp. var. *variospinosa*, 300.
 — *tricornis*, Waters, 300.
 — *versicolor*, *Busk*, 312.
Bugularia, *Lev.*, 299.
 — *dissimilis*, *Lev.*, 299.
Bugulella, *Verr.*, 300.
Bugulina, *Gray*, 299, 300, 314.
 — *avicularia*, *Gray*, 298, 300.
 — *flabellata*, 298.
 — *neritina*, 298.
Bugulopsis, *Verr.*, 300, 353.
 — *peachii*, *Verr.*, 300, 321.
Bulimina, *Orb.*, 620.
 — *elegantissima*, *Orb.*, 620, 646.
 — *limbata* var. *abbreviata*, *Heron-All. & Earl.**, 646.
 — *polystropha*, *Reuss*, 619.
 — *williamsoniana*, *Brady*, 621.
Bulla plumula, *Mont.*, 536.
Bunaster lithodes, *W. K. Fisher*, 241; distrib., 232.
 — *ritteri*, mentd., 241.
 — *uniserialis*, mentd., 241.
 Bunting, courtship activities, 263, 277.
 Bustard, courtship activities, 277.
Bythotrephes longimanus, *Leyd.*, 421; distrib., 414, 418.

Caberea, *Lamx.*, 300, 309, 312, 329.
 — *benemunita*, *Lev.*, 334.
 — *boryi*, *Aud.*, 316.
 — *crassimarginata*, *Busk*, 334, 337.
 — *dichotoma*, *Lamx.*, 300.
 — *marionensis*, *Lev.*, 337.
 — *pinnata*, *Lamx.*, 300.
 — *rudis*, *Busk*, 332, 337.
Caberiella, *Lev.*, 300, 329.
 — *benemunita*, *Lev.*, 300.
Calappa, *Fabr.*, 31, 40, 58.
Calligonus scapularis, *Bert.*, 387.
Callitriche, *Linn.*, in tarns, 423, 424.
Calmanesia, *Collinge**, 107, 109.
 — *methueni*, *Collinge**, 109-113.
Campascus triquetus, 453.
Campptoplites, *Harmer**, 295, 300.
 — *abyssicola*, *Harmer**, 300.
 — *angusta*, *Harmer**, 300.
 — *areolata*, *Harmer**, 300.
 — *bicornis*, *Harmer**, 300.
 — *gigantea*, *Harmer**, 300.
 — *lata*, *Harmer**, 300.
 — *lewaldii*, *Harmer**, 300.
 — *multispinosa*, *Harmer**, 300.
 — *retiformis*, *Harmer**, 300.
 — sp. var. *variospinosa*, *Harmer**, 300.
 — *tricornis*, *Harmer**, 300.
Campthoecium nitens, *Schimp.*, 450.
Cancer, *Linn.*, 129.
Canda, *Lamx.*, 300, 329.
 — *arachnoides*, *Lamx.*, 300.
Candiella, *Gray*, 543.
Canthocamptus cuspidatus, *Schmeil*, 422, 424.
 — *pygmæus*, *G. O. Sars*, 424.
 — *zschokkei*, *Schmeil*, 424, 425.
Carabodes affinis, *Bert.*, 380.
 — *marginatus*, *Mich.*, 380.
Caradrina, *Hueb.*, mite on, 387.

- Carbacea, *Gray*, 301, 311.
 — *armata*, *Busk*, 312.
 — *bombycina*, *Busk*, 316.
 — carbacea, *Harmer* *, 301.
 — *dissimilis*, *Busk*, 299.
 — *episcopalis*, *Busk*, 308.
 — *ligulata*, *Busk*, 314.
 — papyracea, *Gray*, 301.
 — *solanderi*, *Norman*, 301.
 Carchesium, *Ehrenb.*, mentd., 450.
 Carcinology, *Raninidæ*, 25-79.
 Carcinus mænas, *Leach*, 35, 40; mouth-
 parts, 115-142.
 Carterina, *Brady*, 616.
 — spiculotesta, *Brady*, 616.
 Cassella, *H. & A. Adams*, 554.
 Cassidulina, *Orb.*, 622.
 — clavata, *Brady*, 623.
 — crassa, *Orb.*, 622.
 — subglobosa, *Brady*, 623.
 Catenaria bisornis, *Busk*, 315.
 Catenicella, 320.
 Caulibugula, *Verr.*, 301.
 — armata, *Verr.*, 301.
 Cellaria (pars), 348, 353.
 Cellaria, *Ell. & Sol.*, 301, 303, 304, 308,
 315.
 — cirrata, *Ell. & Sol.*, 301, 313.
 — cornuta, 307.
 — farciminoïdes, *Ell. & Sol.*, 301, 302.
 — fistulosa, *Hincks*, 301-303.
 — fistulosa, *Hincks*, 303.
 — flabellum, *Ell. & Sol.*, 313.
 — johnsoni, *Busk*, 303.
 — loricata, 307.
 — pyriformis, *Bertol.*, 305, 306.
 — salicornia, *Lamx.*, 301.
 — salicornia, *Lam.*, 301.
 — salicornia (pars), *Pall.*, 301, 303.
 — salicornia, *Pall.*, 302, 303.
 — salicornioides, *Lamx.*, 303, 315.
 — sinuosa, *Ell.*, 302.
 — sinuosa, *Hincks*, 303.
 — tenella, *Lam.*, 314.
 — ternata, *Ell. & Sol.*, 317, 354.
 Cellarina, *Orb.*, 304.
 Cellarina, *Van Bened.* (pars), 353.
 Cellarina, *Van Bened.*, 303, 304.
 — gracilis, *Van Bened.*, 303, 304.
 — scabra, *Van Bened.*, 303.
 Cellularia (pars), auct., 353.
 Cellularia (pars), *Busk*, 339.
 Cellularia, *Pall.*, 301, 304, 320.
 — avicularia, *Pall.*, 314.
 — biloba, *Busk*, 350.
 — cirrata, *Busk*, 308.
 — cirrata, *Ell. & Sol.*, 340.
 — crateriformis, *Busk*, 350.
 — crispa, *Pall.*, 313, 340.
 — cuspidata, *Busk*, 355.
 — elongata, *Busk*, 350, 351.
 — farciminoïdes, *Ell. & Sol.*, 303.
 — flabellum (pars), *Ell. & Sol.*, 340.
 — floccosa, *Pall.*, 340.
 — loriculata, *Pall.*, 310, 314.
 — monotrypa, *Busk*, 355.
 — ornata, *Busk*, 340.
 — peachii, *Busk*, 300, 355.
 — plumosa, *Pall.*, 306.
 — quadrata, *Busk*, 342.
 — salicornia, *Pall.*, 303, 315.
 — scruposa, *Verr.*, 304.
 — ternata, 304.
 — — forma gracilis, *Smitt*, 354.
 Cellularine Polyzoa, 293-361.
 Centrechinus savignyi, *H. L. Clark*, 248;
 distrib., 232.
 — setosus, *Jackson*, 248; distrib., 232.
 Centropyxis, *Stein*, 457, 470.
 — aculeata, *Stein*, 454, 471.
 — — var. spinosa, *Cash*, 471.
 — — var. ecomis, *Leidy*, 471.
 — lævigata, *Penard*, 454, 470.
 Centrostephanus tenuispinus, *H. L. Clark*,
 249; distrib., 230, 232.
 Cephalodiscus, *McInt.*, 393.
 Ceradocus, *A. Costa*, 6.
 — rubromaculatus (*Stebb.*), 2, 6, 18.
 Ceraochalina multiformis var. manaarensis,
Dendy, 478, 500.
 — retiarmata, *Dendy*, 499.
 Ceratodus, *Agass.*, 87, note; mentd., 165-
 215.
 — forsteri †, 179; mentd., 166, 175, 199.
 Ceratosoma, *Adams & Reeve*, 558.
 — brevicaudatum, *Abrah.*, 523, 558, 569,
 572, 577, 579.
 — calidonicum, *Fisch.*, 558.
 — corallinum, *Oahn.*, 523.
 — cornigerum, *Adams & Reeve*, 558.
 — oblongum, *Abrah.*, 558, 560.
 — tenue, *Abrah.*, 558.

- Ceratostoma trilobata*, 570.
Ceratozercon bicornis, *Halb.* *, 375, 392.
Cercaripora, *Fisch.*, 304, 309.
 — *argillacea*, 304.
 — *ligulata*, 304.
 — *truncata*, 304.
Cercobodo, *Krass.*, 467.
Cercomonas crassicauda, *Alex.*, 452, 457, 458, 465.
 — sp., 457.
Ceriodaphnia pulchella, *Sars*, 425; distrib., 414.
 — *quadragula*, distrib., 414, 415, 416.
Ceriopora globulus, *Reuss*, 638.
Chelifer dubius (*Camb.*), 364.
Chalina palmata, *Ridl. & Dendy*, 499.
 — sp., 478, 500.
Chaperia, *Jull.*, 304.
 — *acanthina*, *Harmer* *, 304.
 — *australis*, *Jull.*, 304.
Chartella, *Gray*, 304, 311.
 — *papyracea*, 304.
Chaomosia, *Busk*, 304.
 — *hirtissima*, *Busk*, 304.
Cheyletus eruditus, *Schr.*, 387.
 — *venustissimus*, *C. L. Koch*, 387.
Chilodon cucullulus, *Ehrens.*, 457.
Chlamydothryx stercorea, *Cienk.*, 453, 457.
Chlidonia, *Lamx.*, 305, 306.
 — *pyriformis*, 305.
Chlidonia, *Hübner*, 305.
Chlidonia, *Herr.-Schäff.*, 305.
Chlidonias, *Rafin.*, 305.
Chlorella *Beyer.*, food of *Daphnia*, 416.
Chloropisca glabra, 405, 408.
Chloropus tæniopus, *Meig.*, head capsule, 399-410.
Chromodoris, *Ald. & Hanc.*, 553.
 — *magnifica*, *Quoy & Gaim.*, 553.
Chrodrilla australiensis, *Carter*, 478, 496.
Chydorus piger, 425, 437.
 — *sphæricus*, 414.
Cibicides refulgens, *Montf.*, 635.
Cidarites annulifera, *Lam.*, 248.
Cilicæa stylifera, *Whitel.*, 14.
Cilicæopsis, *Hansen*, 13, 14.
 — *dakini*, *Tatt.* *, 13.
 — *granulata*, 14.
 — *whiteleggei*, 14.
Cilliba, *Heyd.*, 378.
 — *vegetans*, *Hull*, 377.
Cillibano diacychoides, *Hull*, 379.
Cinclidium stygium, *Sw.*, 450.
Cinetosoids, *Martens*, 305.
Cladochalina euplar, *Lendenf.*, 499.
Cladomonas sp., 457, 462.
 — *fruticosa*, *Stein*, 457, 463.
Clark, *H. L.*, Some Echinoderms from West Australia, 229-251.
Cleanthus, *Leach*, 536.
Clypeus of *Chlorops*, 403.
Coition of *Lyctus*, 590.
Coleoptera, female reprod. organs, 59.
Collinge, *W. E.*, *Eluma cælatum*, 103; *Isopods* fr. Madagascar, 107.
Coloburiscus humeralis (*Walk.*), wing-veins, 153.
Colpoda, *Schrank*, mentd., 450.
 — *cucullus*, *Ehrens.*, 453, 457.
Colotois pennaria, 86.
Columnaria, *Lev.*, 305.
 — *borealis*, *Lev.*, 305.
Columnaria, *Goldf.*, 305.
Colymbus immer, *M. T. Brunn.*, courtship activities, 265.
 — *stellatus*, *Pontopp.*, courtship activities, 253-292.
Comatella nigra, *A. H. Clark*, 232; distrib., 231.
 — *stelligera*, *A. H. Clark*, 232; distrib., 231.
Comatula jacquinoti, *J. Müller*, 234.
 — *pectinata*, *A. H. Clark*, 233; distrib., 231.
 — *purpurea*, mentd., 233.
 — *solaris*, *Lam.*, 233; distrib., 231.
Comanthus annulata, *A. H. Clark*, 233; distrib., 231.
 — *luteofusca*, mentd., 234.
 — *parvicirra*, *A. H. Clark*, 234; distrib., 231.
 — *polycnemis*, *A. H. Clark*, distrib., 231.
Conchopoma gadiformis, *Kner* †, structure, 198-201, 213-215.
Coniston plankton, 421.
Conocephalus conicus, *Dunn.*, mite on, 384.
Copromonas sp., 457.
 — *subtilis*, *Dobell*, 465.
Cornucopina, *Lev.*, 306, 327, 359.
 — *grandis*, *Lev.*, 306.
 — *infundibulata*, *Lev.*, 306.
Cornuspira, *Schultze*, 610.

- Cornuspira involvens*, *Reuss*, 610.
 — *selseyensis*, *Heron-All. & Earl.*, 610.
Corycia coronata var. *simplex*, *Penard*, 452, 470.
 — *flava*, *Greef*, 452, 470.
Corynoporella, *Hincks*, 306.
 — *tenuis*, *Hincks*, 306.
Coryphella rufibranchialis, 569, 570.
Corystes, *Latr.*, 31, 57, 58, 61.
Corythion dubium, *Taran.*, 453, 473.
 — *schaudinni*, *Schussl.*, 473.
Coscinasterias calamaria, *Perrier*, 244; distrib., 229.
Coscinoderma pyriforme, *Lendenf.*, var. *a*, 479, 512, 513.
 — —, var. *β*, 479, 513.
Cosmonotus, *W. Adams*, 27, 61.
 — *Grayi*, *Adams & White*, 26.
Cothurnicella, *W. Thoms.*, 306.
 — *dedala*, *W. Thoms*, 306.
 Courtship in birds, 253-292.
 Crab, mouth-parts, 115-142.
 Crane, courtship activities, 277.
Craspedozoum, *MacGill*, 306, 339, 347.
 — *ligulatum*, *MacGill.*, 306, 344.
 — *membraniporoides*, *MacGill.*, 306.
 — *roboratum*, *MacGill.*, 306, 345.
 — *spicatum*, *MacGill.*, 306, 343, 344, 347.
Craterites, *Heron-All. & Earl.* *, 611, 612, 646.
 — *rectus*, *Heron-All. & Earl.* *, 611, 646.
Crella schmidti, *Ridl.*, 505.
Crepis, *Jull.*, 306.
 — *longipes*, *Jull.*, 306.
 Crinoidea from West Australia, 232-235.
Crisia, auctt., 307.
Crisia, *Lamx.*, 306, 307, 308, 321.
 — *appendiculata*, 317.
 — *boryi*, *Aud. (P.)*, 316.
 — *ciliata*, *Lamx.*, 306, 307.
 — *cornuta*, 317.
 — *delili*, *Aud.*, 303.
 — *eburnea*, *Lamx.*, 306, 307.
 — *elegans*, *Lamx.*, 342.
Cristellaria, *Lam.*, 625.
 — *gibba*, *Orb.*, 625.
 — *rotulata*, *Brady*, 625.
Cristularia, *Gray*, 306.
 — *fastigiata*, *Gray*, 306.
 Crustacea of the tarns, 425; mentd., 285.
 Crustacean plankton of English Lakes, 411-447.
Otenodus, *Agassiz* †, structure, 188-199; mentd., 163, 171, 195-215.
 — *cristatus* †, 189, 195.
 — *elegans* †, 164.
 — *ellipticus* †, 164.
 — *imbricatus* †, 164.
 — “*interruptus* *Barkas*” †, 172, 190-196, 212.
 — *murchisoni*, *Ward* †, mentd., 196.
 — *obliquus* †, 164, 190.
 — *sp.* †, mentd., 176.
 — *tardus*, *Fritsch* †, sp. dub., 196.
 — *tuberculatus* †, 166, 195.
 Cuckoo, courtship activities, 276.
Cyclidium glaucoma, *Ehrenb.*, 453, 457.
Cyclodorippe, 28, 54.
Cyclops, *O. F. Muell.*, in tarns, 425.
 — *abyssorum*, *Sars*, 421, 435, 436, 437; distrib., 414, 415, 418.
 — *agilis*, *Koch*, 425.
 — *capillatus*, *Sars*, 438, 439.
 — *crinitus* *Graet.*, 437-439.
 — *diaphanus*, *Fisch.*, 438.
 — *fuscus*, *Schneil*, 425.
 — *lacustris*, *G. O. Sars*, 436, 437.
 — *leuckarti*, *Claus*, 425, 435; distrib., 414-416.
 — *nanus*, *G. O. Sars*, 425.
 — *robustus*, *G. O. Sars*, 439.
 — *scutifer*, *G. O. Sars*, 436, 437.
 — *strenuus*, *Fisch.*, 436, 437.
 — *venustus*, *Norm. & Scott*, 425, 437, 439.
 — *vernalis*, *Fisch.*, 438, 439.
 — — var., 439.
 — *vicinus*, *Ulj.*, 436.
 — *viridis*, *Fisch.*, 425, 439.
 Cyclostomes, mentd., 285.
Cylindrocium, auctt., 309.
Cymbæremus monilipes, *Halb.* *, 381.
Cymbalopora, *Hagen*, 630.
 — *millettii*, *Heron-All. & Earl.*, 630.
 — *poeyi*, *Brady*, 630.
Cymodoce, *Leach*, 14.
 — *bicarinata*, *Stebb.*, 16.
 — *longistylis*, *Miers*, 16.
 — *mammifera*, *Hasw.*, 14.
 — *pelsarti*, *Tatt.* *, 15.
 — *pilosa*, *M.-Edw.*, 16.

- Cymodoce zanzibarensis*, *Stebb.*, 16.
Cymonomops, *Alc.*, 28.
Cymonopus, *M.-Edw.*, 55.
Cyphoderia ampulla var. *vitrea*, *Wailes*, 472.
 — sp., *Schlumb.*, 453.
Cyrtolaelaps mucronatus, *Berl.*, 365.
- Dabchick, courtship activities, 253 *et seq.*
Damæus, *Rafn.*, 374.
Dameosoma maculosa, *Warb. & Pearce*, 380, 392.
 — minus, *Paoli*, var. *lamellata*, *Halb.**, 380, 392.
Damiria australiensis, *Dendy*, 505.
 — *schmidtii*, *Tops.*, 505.
 Damsel-flies, mentd., 143.
Daphnia, *O. F. Muell.*, 440.
 — *cucullata*, mentd., 418.
 — *galeata*, 421; distrib., 414.
 — *hyalina*, *Leyd.*, 441-444; distrib., 414-416, 418.
 — — subsp. *galeata*, *Sars*, 441-444.
 — — subsp. *lacustris*, *Sars*, 441, 442.
 — — f. *lucemensis*, *Burck.*, 444.
 — *lacustris*, 444; distrib., 414.
 — — var. *vicina*, *Rich.*, 443.
 — *longispina*, *O. F. Muell.*, 440-443.
 — *pellucida*, 441.
 — *pulex*, *Latr.*, 441.
 — *variabilis*, *Langh.*, 441.
Dendoricella schmidtii, *Hensch.*, 505, 479.
Dendrobeatia, *Lev.*, 306.
 — *murrayana*, *Lev.*, 306.
Dendrocrinus, *Hall.*, 95.
Dendrodoris, *Ehrenb.*, 560, 561.
 — *lugubris*, *Ehrenb.*, 560, 561.
 — *mammosa*, 523, 562, 578.
 — *nigra*, 523, 561.
Dendrolaelaps bicornis, *Hull*, 366.
 — *cornutus*, *Halb.**, 366.
Dendronotus, *Ald. & Hancock*, 544.
Dendrophrya, *S. Wright*, 613.
 — *radiata*, *S. Wright*, 613.
Dendy, A., & L. M. Frederick, Sponges from Abrolhos, 477.
Dercitopsis ceylonica, *Dendy*, 489.
 — *mammillaris*, *Dendy*, 479, 489.
 — *minor*, *Dendy*, 479, 489.
Desmacella tubulata, *Dendy*, 503.
Diacara, *Buddle-Lund*, 108.
- Diachoris*, *Busk*, 306.
 — *crotali*, *Busk*, 306.
 — *hirtissima*, *Heller*, 304.
Diachoseris, *Ortm.*, 306.
 — *discodermia*, *Ortm.*, 306.
 — *hexaceras*, *Ortm.*, 306.
 — *magellanica*, *Ortm.*, 306.
Diadema savignyi, *Michelin*, 248.
Diaphanosoma brachyurum, *Scourf.*, 425, 426; distrib., 414, 415, 418, 423.
 — *gracilis*, 426.
Diaptomus gracilis, *G. O. Sars*, 421-425; distrib., 414.
 — *hircus*, *Brady*, 435.
 — *laciniatus*, *Lilljeb.*, mentd., 419.
 — *laticeps*, *G. O. Sars*, 422, 424, 425, 435; distrib., 414, 415, 418, 419.
 — *wierzejskii*, *Rich.*, mentd., 419.
Dicranodromia, *M.-Edw.*, 51.
Didymia, *Busk*, 295, 306, 307.
 — *simplex*, *Busk*, 306.
Didymia, *Le Pell. & Serv.*, 306.
Didymozoom, *Harmer*, nom. nov. *, 295, 306, 307, 323, 325, 359.
 — *simplex*, *Harmer**, 306.
Diffugia constricta, *Ehrenb.*, 452, 457, 470.
 — *fallax*, *Penard*, 452, 470.
 — *globulus*, *Duj.*, 452, 457, 470.
 — *lucida*, *Penard*, 452, 470.
 — *pyriformis*, *Perty*, 452, 470.
Diffusilina, *Heron-All. & Earl.**, 614, 646.
 — *humilis*, *Heron-All. & Earl.**, 614, 646.
Dileptus, *Duj.*, mentd., 450.
Dimastigamæba, *Blochm.*, 467.
 — *gruberi*, *Schard.*, 457, 469.
Dimetopia, DC. [= *Trachymene*, *Rudge*], 299.
Dimetopia, *Busk*, 299, 307.
 — *cornuta*, *Busk*, 307.
 — *spicata*, *Busk*, 307.
 Dimorphism in *Ptychodera*, 393.
Dimorphozoum, *Lev.*, 307.
 — *nobile*, *Lev.*, 307.
Dinychus carinatus, *Berl.*, 377.
Dinycura, *Berl.*, subgen., 378.
Diplodidymia, *Reuss* †, 307, 315.
 — *alata*, *Reuss* †, 315.
 — *complicata*, *Reuss*, 307.
 Dipnoi, see *Paleozoic Dipnoi*.
Dipterus, *Sedy. & Murch.* †, mentd., 163-179, 190, 194, 200, 204, 215.

- Dipterus platycephalus*, *Ag.* †, structure, 207-212, 215; mentd., 197, 199, 205.
 — *valenciennesi*, *Sedg. & Murch.* †, 205-207; mentd., 211-212.
Discorbina, *Park. & Jones*, 630.
 — *araucana*, *Brady*, 631.
 — *baccata*, *Heron-All. & Earl.*, 631.
 — *concinna*, *Brady*, 630.
 — *cora*, *Heron-All. & Earl.* *, 630, 631.
 — *globularis*, *Brady*, 631.
 — *harmeri*, *Heron-All. & Earl.*, 633.
 — *isabelleana*, *Brady*, 630.
 — *lauriei*, *Heron-All. & Earl.* *, 633, 634, 647.
 — *mediterraneanis*, *Heron-All. & Earl.*, 631.
 — *nitida*, *Heron-All. & Earl.*, 630.
 — *patelliformis*, *Brady*, 633.
 — *polystomelloides*, *Park. & Jones*, 632.
 — *pulvinata*, *Brady*, 633, 646.
 — *pyramidalis*, *Heron-All. & Earl.* *, 634, 647.
 — *rarescens*, *Brady*, 632.
 — *reniformis*, *Heron-All. & Earl.*, 632.
 — *rimosa*, *Park. & Jones*, 632.
 — *rosacea*, *Brady*, 631.
 — *rugosa*, *Brady*, 632.
 — *tabernacularis*, *Brady*, 633, 646.
 — — *var. levis*, *Lieb. & Schüb.*, 634.
 — *tabernacularis*, *Sideb.*, 633.
 — *turbo*, *Brady*, 631.
 — *valvulata*, *Brady*, 631, 632.
 — *vilardeboana*, *Heron-All. & Earl.* *, 631.
Distiproboscis of *Chlorops*, 407.
Dittosaria, *Busk* †, 307.
 — *wetherellii*, *Busk* †, 307.
Diver, Red-throated, courtship activities, 253-292; Black-throated, 205 *et seq.*
Dolabrifera, *Gray*, 534.
 — *dolabrifera*, *Rang*, 534.
 — *pelsartensis*, *O'Don.* *, 523, 534, 535, 577, 578.
Donatia arabica, *Tops.*, 495.
 — *globostellata*, *Tops.*, 495.
 — *ingalli*, *Dendy*, 495.
 — *japonica* var. *albanensis*, *Hentsch.*, 495.
 — *multistella*, *Dendy* *, 478, 495.
 — *robusta*, *Dendy* *, 478, 495.
Doridicola, *Leydig*, 569.
Doridopsis, *Ald. & Hanc.*, 561.
Doridopsis gemmacea, *Ald. & Hanc.*, 561.
 — *mammosa*, *auct.*, 562.
 — *nigra*, *auct.*, 561.
Doriopsis, *Pease*, 560, 561.
 — *granulosa*, *Pease*, 560.
 — *mammosa*, *auct.*, 562.
 — *nigra*, *auct.*, 561.
Dorippe lunata, *M.-Edw.*, 47, 48.
Doriprismatica, *Orb.*, 553, 554.
 — *atromarginata*, *Cuv.*, 553.
Doris lugubris, *Gravenh.*, 561.
 — *mammosa*, *Abrah.*, 562.
 — *nigra*, *Stimp.*, 561.
 — *pallida*, *Rüpp. & Leuck.*, 553.
Doto coronata, 569.
Dove, courtship activities, 275, 285.
Dragonflies, mentd., 143.
Drammenia, *Thor*, 387.
 — *crassipalpis*, *Thor*, 387, 392.
 — *elongata*, *Thor*, 387, 388.
Dromia, *Fabr.*, 31, 33, 36, 37, 44, 51.
 — *vulgaris*, *Bouvier*, 31, 35, 40, 42, 50, 77, 78.
Drosophila, *Fall.*, 88; courtship activities, 270.
Ducks, courtship activities, 290.
Duvaucelia, *Risso*, 543.
Dynamena, *Lev.*, 307.
 — *barbata*, *Lev.*, 307.
Echinocardium cordatum, *Gray*, 251; distrib., 229-230.
Echinoderms from West Australia (Clark), 229-251; mentd., 285.
Echinodictyum bilamellatum, *Ridl.*, 479, 504.
 — *elegans*, *Hallm.*, 504.
Echinoidea from West Australia, 248-251.
Echinometra mathaei, *Blainv.*, 250; distrib., 232.
 — *setosa*, *Leske*, 248.
Echinonema vasiplicata, *Carter*, 504.
Echinospira, *Krohn*, 92, 93.
Echinus, *Linn.*, 96.
 — *cordatus*, *Pennant*, 251.
 — *erythrogrammus*, *Valenciennes*, 250.
 — *gratilla*, *Linn.*, 249.
 — *mathaei*, *Blainv.*, 250.
 — *pallidus*, *Lam.*, 249.
Egret, Snowy, courtship activities, 265 *et seq.*

- Ehrenbergina, *Reuss*, 623.
 — serrata, *Reuss*, 623.
 Elasmopus, *A. Costa*, 8.
 — pectinicus, *S. Bate*, 9, 10.
 — serrula, *Walker*, 9, 10.
 — subcarinatus, *Chill.*, 2, 9, 10.
 Eluma, *Budde-Lund*, 103, 104.
 — cælatum, *Collinge*, 103-106.
 — helleri, *Verhoeff*, 106.
 — purpurascens, *Budde-Lund*, 103, 104.
 Emma, *Gray*, 307, 313, 325, 327, 329, 356.
 — buskii, *Harmer**, 357, 359.
 — cervicornis, *MacGill.*, 357.
 — crystallina, *Gray*, 307, 357.
 — cyathus, *Harmer**, 357, 359.
 — tricellata, *Busk*, 357.
 Enehelys farcimea, *Ehrenb.*, 457.
 — sp., 453, 457.
 Encyonema australiensis, *Sollas*, 492.
 Encyrtid, mentd., 225.
 English Lakes, Crustacean plankton, 411-447.
 Ennerdale Plankton, 420, 421.
 Entosiphon sulcatum, *Stein*, 452.
 Entosolenia lineata, *Williams*, 623.
 Ephemera, wing-veins, 152.
 Epicranial suture of Chlorops, 399-403.
 Epicrius lælaptoides, *Berl.*, 370.
 Epipharynx of Chlorops, 407, 408.
 Episeius, *Hull*, subgen., 371, 372, 373.
 — italicus, 384.
 Epistomia, *Flem.*, 307, 311, 314.
 — bursaria, *Flem.*, 307.
 Erannis æscularia, *Schiff.*, 86.
 Ergasilus, *Nordm.*, 569.
 Erina, *Swainson*, 307.
 Erina, *Canu*, 307.
 — patagonica, *Canu*, 307.
 Erisocrinus, *Meek*, 95.
 Erylus proximus, *Dendy*, 478, 494.
 Eschava fistulosa, *L.*, 303, 308.
 — foliacea, *Linn.*, 310.
 — papyrea, *Pall.*, 301.
 Esperella plumosa, 479, 503.
 Esperia parasitica, *Carter*, 502.
 Eucratea, *Lamx.*, 307, 310, 311, 314.
 — appendiculata, *Lamx.*, 317.
 — cordieri, *Aud.*, 305.
 — cornuta, *Lamx.*, 307.
 — lafontii, *Aud.*, 298.
 Eucratea loricata, *Lamx.*, 307, 312, 317.
 — vesiculosa, *Hamm.*, 305.
 Eucratia, *Flem.*, 308 = præc.
 Eugamasus loricatus, *Wank.*, 364.
 Euglena, *Ehrenb.*, in Spitsbergen, 450.
 Euglypha ciliata, *Ehrenb.*, 453, 471.
 — lævis, *Perty*, 453, 457, 472.
 — strigosa, *Leidy*, 453, 457, 471.
 — — f. gabra, 457.
 — — var. glabra, *Wuiles*, 453, 471.
 — tuberculata, *Duj.*, 453, 472.
 Euoplozoum, *Harmer**, 295, 308, 359.
 — cirratum, *Harmer**, 308, 326.
 Eupagurus, *Brandt*, 31.
 Euphrurus, *Rafin.*, 564.
 Euryale aspera, *Lamx.*, 246; distrib., 230.
 Eurystheus, *Bate*, 10.
 — afer, *Stebb.*, 11.
 — atlanticus, *Stebb.*, 2, 10, 11, 18.
 — gardineri, *Walker*, 11.
 — lamellatus, *Baird*, 425.
 — zeylanicus, *Walker*, 10, 11.
 Easthenopteron †, mentd., 215.
 Euthyris bombycina, *Busk*, 308.
 — episcopalis, 308.
 Euthyris, *Hincks*, gen. dub., 308, 316.
 — obtecta, *Hincks*, 308.
 Euthyroides, *Harmer*, 308.
 — episcopalis, *Harmer*, 308.
 Evolution of Courtship in birds, 253-292.
 Eyes of Chlorops, 405.
 Falcaria, *Haworth*, 308.
 Falcaria, *Oken*, 308.
 — anguina, 308.
 — cornuta, 308.
 — eburnea, 308.
 — falcata, *Oken*, 308.
 Farcimia, *Flem.*, 308.
 — fistulosa, *Flem.*, 308.
 — oculata, *Waters*, 308.
 — sinuosa, *Hass.*, 302, 303.
 — salicornia, *Hass.*, 302.
 — spathulosa, *Hass.*, 303.
 Farciminaria, *Busk*, 309.
 — aculeata, *Busk*, 309.
 — atlantica, 305.
 Female genitals of Lyctus, 585-590;
 reproductive organs in Coleoptera, 591.
 Filicella, *S. Wood* †, 309.

- Filicella* anguinea, *S. Wood* (?), 309.
Fischerina, *Terq.*, 610.
 — *pellucida*, *Millett*, 610.
 Fishes, mentd., 285.
Fissurina bicarinata, *Terq.*, 624.
 — *levigata*, *Reuss*, 624.
Fistulana, *O. F. Muell.*, 309.
 — *longicornis*, *O. F. Muell.*, 309.
 — *multicornis*, *O. F. Muell.*, 309.
 — *muscoides*, *O. F. Muell.*, 309.
 — *ramosa*, *O. F. Muell.*, 309.
 — *simplex*, *O. F. Muell.*, 309.
Fistularia, *Lin.*, 309.
Flabellaria, *Gray*, 309.
 — *setacea*, *Flem.*, 309.
 — *spiralis*, *Gray*, 309.
Flabellaria, *Lam.*, 309.
Flabellaris (pars), *Waters*, 310, 339.
 — *flabellum*, *Waters*, 310, 340.
 — *roborata* (pars), *Waters*, 310, 345.
 — — var. *ligulata*, *Waters*, 344.
Flabellina, *Lev.*, 310, 339.
 — *roborata*, *Lev.*, 310, 345.
Flabellina, *Voigt*, 310.
 Flagellates, food of *Daphnia*, 416.
 Floutern Tarn, crustacea, 423.
 Flustra, *Lin.*, 310, 311.
 — *abyssicola*, *G. O. Sars*, 315.
 — *acanthina*, *Quoy & Gaim.*, 304.
 — *biseriata*, *Busk*, 312.
 — *bombycina*, *Ell. & Sol.*, 308, 314.
 — *carbacea*, *Ell. & Sol.*, 301.
 — *foliacea*, *Linn.*, 310.
 — *membraniporoides*, *Busk*, 306, 345.
 — *militaris*, *Waters*, 317.
 — *murrayana*, *Bean*, 306.
 — *nobilis*, *Hincks*, 307.
 — *papyracea*, *Ell. & Sol.*, 304.
 — *reticulum*, *Hincks*, 315.
 — *setacea*, *Flem.*, 309.
 Foraminifera of Lord Howe Island, 599–646.
Frew, *J. G. H.*, Morphology of head of Chlorops, 399–410.
Fromia andamanensis, *Koehler*, 239; distrib., 232.
 — *elegans*, *H. L. Clark*, 240; distrib., 232.
 — *milleporella*, *Gray*, mentd., 240.
Fronidularia, *Defr.*, 625.
 — *scottii*, *Heron-All. & Earl.*, 625, 646.
 Fronto-clypeus of Chlorops, 403.
Galathea, *Fabr.*, 31.
Galvina viridula, 570.
Gamasellus granulatus, *Halb.* *, 364, 391.
 — *mucronatus*, *Halb.* *, 365.
 — *subnudus* (?), *Berl.*, 365, 391.
Gamasus bicornis, *Kram.*, 375.
 — *crassitarsis*, *Halb.* *, 363, 391.
 — *halleri*, *G. & R. Can.*, 369.
 — *magnus*, *Kram.*, 364.
 — *mucronatus*, *G. & R. Can.*, 365.
 — *oudemansi*, *Berl.*, 364.
 — *remiger*, *Kram.*, 374.
Gammaropsis atlantica, *Stebb.*, 10.
 — *gardineri*, *Walker*, 10.
 — *zeylanicus*, *Walker*, 10.
Gammarus tenellus, *Dana*, 8.
 Gannet, courtship activities, 278.
Garstang, *W.*, Recapitulation, 81–101.
Gaudryina, *Orb.*, 620.
 — *rugosa*, *Orb.*, 620.
 — *scabra*, *Brady*, 620.
Gemellaria, *Sav.*, 314.
Gemellaria, *van Bened.*, 310–312.
 — *avicularis*, *Piep.*, 317.
 — *loriculata*, *Blainv.*, 310.
Gemicellaria, *Blainv.*, 310.
 — *bursaria*, *Blainv.*, 311.
 — *loriculata*, *Blainv.*, 310, 311.
 Genital system of *Lyctus brunneus*, 581.
Gilchrist, *J. D. F.*, Dimorphism in *Ptychodera capensis*, 393–398.
Gill, *E. L.*, see *Watson*, *D. M. S.*
Gleditschia triacanthos, *Lin.*, mentd., 217.
Glenodinium, *Ehrenb.*, in Spitsbergen, 450.
Globigerina, *Orb.*, 627.
 — *bulloides*, *Orb.*, 627.
 — *cretacea* var. *eggeri*, *Heron-All. & Earl.*, 627.
 — *rubra*, *Orb.*, 628.
 — *triloba*, *Reuss*, 627.
Glossæ of Chlorops, 408.
Glossodoris, *Ehrenb.*, 553, 554.
 — *elisabethina*, 570.
 — *pallida*, 553.
 — *westraliensis*, *O'Don.*, 554, 577, 579.
 — *xantholeuca*, *Ehrenb.*, 553.
 Goats Water crustacea, 424.
 Golderest, courtship activities, 277.
Goniobranchus, *Pease*, 553.

- Goniobranchus vibrata*, Pease, 553.
Goniodoris, Forbes, 553, 554.
Gonodontis bidentata, 86.
Gonostomum affine, Stein, 457.
Grantiopsis cylindrica, Dendy, 477, 518.
 — — var. *fruticosa*, Dendy*, 477.
 — *infrequens*, Dendy & Row, 483.
Graphiocrinus, Hon., 95.
Graptoleberis testudinaria, 425.
Grebe, courtship activities, 253 *et seq.*
Grimmia commutata, Hueb., 451.
Grubia, Czern., 12, 13.
 — *brevidactyla*, Chev., 13.
 — *setosa*, Stebb., 2, 12.
Guillemots, courtship activities, 267, 281.
Gulls, courtship activities, 281.
Gurney, R., Crustacea of English Lakes, 411-447.
Gymnopleura, Bourne*, 55.
Gypsina, Carter, 637, 639.
 — *globulus*, Brady, 638.
 — *inhærens*, Brady, 637, 647.
 — *rubra*, Heron-All. & Earl., 638.
 — *vesicularis*, Brady, 638.
Gyrinus, Linn., 67.

Haddonia, Chapm., 615, 616.
 — *torresiensis*, Chapm., 615, 646.
Halbert, J. N., Acari, 363-392.
Halichondria phakellioides, Dendy*, 478, 498, 519.
Halophila, Gray, 311.
 — *johnstonæ*, Gray, 311.
 — *johnstonia*, Gray, 311.
Haplocrinus, 97, ftnote.
Haplophragmium, Reuss, 613.
 — *anceps*, Brady, 614.
 — *canariense*, Brady, 613.
 — *compressum*, Goës, 613.
 — *emaciatum*, Brady, 613.
Harmer, Sir S. F., Cellularine Polyzoa, 293-361.
Hartmanella hyalina, Alex., 452, 457, 469.
 — sp. α , Cutl., 452.
Hauerina, Orb., 609.
 — *compressa*, Orb., 609.
 — *ornatissima*, Brady, 609.
Head capsule of Chlorops, 399-410.
Heliocidaris erythrogramma, Agassiz & Desor, 250; distrib., 229, 232.

Heliocidaris tuberculata, mentd., 250.
Helkesimastix fæcicola, Woodc. & Lep., 452, 457, 461.
Hemichordata, 393.
Hemipeneus spinidorsalis, 45.
Heptagenia, mentd., 161.
Hermannia arrecta, Nicol., 381.
 — *granulata*, Nicol., 381.
Hermannella granulata, Halb.*, 381.
Heron-Allen, E., & A. Earland, Foraminifera of Lord Howe Island, 599-646.
Hérons, courtship activities, 265 *et seq.*
Herpetomonas, Kent, 460.
Heterocella, Canu †, 311.
 — *fragilis*, Canu †, 311.
Heteroflustra, Lev., 311.
Heteromita, 458.
 — *globosa*, Stein, 450, 451, 457, 458.
 — *lens*, Muell., 452, 457, 458.
Heterostegina, Orb., 641.
 — *depressa*, Orb., 641.
Hexabbranchus, Ehrenb., 545.
 — *imperialis*, Kent, 523, 545, 546, 577, 578.
 — *prætextus*, Ehrenb., 545.
Hiantopora, Mac Gill., 311.
 — *ferox*, Mac Gill., 311.
Hickson, S. J., Two Sea-pens from Abrolhos, 21-23.
Highlow Tarn, crustacea, 424.
Himantozoum, Harmer*, 295, 311, 326.
 — *leontodon*, Harmer*, 311.
 — *margaritifera*, Harmer*, 311.
 — *mirabile*, Harmer*, 311.
 — *sinuosa*, Harmer*, 311, 312.
Hippa, Fabr., 31, 56.
Hippospongia intestinalis, Dendy*, 479, 511,
Hircinia sp. ρ , 502.
Holocladina pustulifera, Carter, 638.
Holopodium gibberum, Zadd., 412, 414-416, 418, 421, 422, 440.
Holopsamma crassa, Carter, 511.
Holopus, Orb., 97.
Holostapis vagabundus, Berl., 366.
Homarus, Edw., 39, 48.
Homolodromia, M.-Edw., 51.
Hoplitella, Lev., 312.
 — *armata*, Lev., 312.
Humming-birds, courtship activities, 277, 278.

- Huxley, J. S., Courtship activities in the the Red-throated Diver (*Colymbus stellatus*, Pontopp.), 253-292.
- Huxleya, *Dyster*, 312.
— *fragilis*, *Dyster*, 312.
- Hyalosphenia *minuta*, *Cash*, 457, 471.
- Hybernia, *Latr.*, 88.
— *aurantiaria*, 88.
— *defoliaria*, 88.
— *marginaria*, 88.
- Hybocrinus, *Bill*, 94.
- Hydracarina, 387, 389.
- Hydryphantes, 388.
— *bayeri*, *Pisar.*, 389, 392.
— *bayeri* [var.] *nonundulata*, *Viets*, 389, 392.
— *crassipalpis*, *Koen.*, 389.
— — *f. lacustris*, *Halb.**, 389, 392.
— *dispar*, *Halb.**, 389, 392.
— *placationis*, *Thon*, 389, 392.
— *planus*, *Thon*, 389.
— *prolongatus*, *Thon*, 388, 389, 392.
— *ruber*, *De Geer*, 388, 389, 392.
- Hyocrinus, *Sedgw.*, 97.
- Hypnum, *Linn.*, 5 spp., 451.
- Hypoaspis aculeifer*, *Can.*, 367.
— *subglabra*, *Oudem.*, 373.
- Hypograntia infrequens*, *Carter*, 485, 486.
- Hypopharynx of Chlorops, 408.
- Idalia *aspersa*, 569.
Ilia nucleus, 54.
- Insects, Primitive, mentl., 285.
- Internal avicularia, 318.
- Iphis halleri*, *Berl.*, 369.
- Iridia, *Heron-All. & Earl.*, 612.
— *diaphana*, *Heron-All. & Earl.*, 612.
- Ismalia *monstrosa*, 571.
- Isodictya permollis*, *Bowerb.*, 497.
- Isœtes, *Linn.*, in tarn, 423.
- Isopoda from Abrolhos, 1.
- Isopods, terrestrial, 103, 107.
- Jubella, *Jull.*, 312.
— *enucleata*, *Jull.*, 312.
- Kalykteron elegans*, *Lendenf.*, 504.
— *silex*, *Lendenf.*, 504.
- Kenella, *Lev.*, 311, 312.
- Kenella *biseriata*, *Lev.*, 314.
- Kentrodoris *maculosa*, 523.
- Kestrel, courtship activities, 285, 289.
- Khaya, *A. Juss.*, sp., mentl., 217, 219.
- Kinetoskias, *Kor. & Dan.*, 305, 312, 359.
— *arabianensis*, *Roberts*, 308.
— *arborescens*, *Dan.*, 312.
— *cyathus*, 326.
— *smithi*, *Dan.*, 312.
— *smittii*, *Dan.* (emend.), 312.
- Kingfisher, its brilliant colouring aposomatic, 288.
- Labellæ of Chlorops, 408.
- Labidostoma *cornuta*, 379.
— *luteum*, *Kram.*, 379.
- Labium of Chlorops, 406.
- Labrum of Chlorops, 404.
- Laelaps *aculeifer*, *Can.*, 367.
— *agilis*, *C. L. Koch*, 367.
— *fimbriatus*, *Halb.**, 368, 391.
— *halleri*, *G. Can.*, 369.
— *latisternus*, *Halb.**, 367, 391.
— *simplex*, *Halb.**, 368, 391.
— *stabulalis*, *C. L. Koch*, 367.
- Lafoea lafoyi*, *Blainv.*, 317.
— *cornuta*, *Lamx.*, 317.
- Lagena, *Walk. & Boys*, 623.
— *annectans*, *Burr. & Holl.*, 624.
— *bicarinata*, *Millett*, 624.
— *clathrata*, *Brady*, 624.
— *laevigata*, *Brady*, 624.
— *laevis*, *Williams.*, 624.
— *lineata*, *Brady*, 623.
— *marginata*, *Brady*, 624.
— *squamosa*, *Cushman*, 624.
- Lakes, English, crustacean plankton, 411-419.
- Lamellaria, *Oken*, 92, 93.
- Lamprometra *gyges*, *A. H. Clark*, 234; distrib., 231.
- Lapysia*, *Linn.*, 527, 528.
— *depilans*, *Linn.*, 528.
- Lasioseius, 363.
— *glaber*, *Berl.*, var. *curtipes*, *Halb.**, 370, 391.
— — var. *minor*, *Trädg.*, 370.
— *gracilis*, *Halb.**, 369, 391.
— *italicus*, *Berl.*, 371, 372, 373, 374, 392.

- Lasioseius kelaptoides*, *Halb.**, 370, 371.
 — *major*, *Halb.**, 371–373, 392.
 — *michaeli*, *Halb.**, 371–373, 392.
 — *minusculus*, *Berl.*, 374.
 — *minutus*, *Berl.*, 374.
 — *muricatus*, *C. L. Koch*, 370, 371.
 — *ometes*, *Oudem.*, 370, 391, 392.
 — *sphagni*, *Halb.**, 371, 391.
 — *subglaber*, *Halb.**, 373, 374, 392.
 — *tenuipes*, *Halb.**, 371–373.
Lasius flavus, *Mayr*, 379.
 — *mixtus*, *Mayr*, 367.
 — *niger*, *Fabr.*, 379.
 Law, biogenetic, 81.
Leiosoma palmicinctum, *Mich.*, 379.
Lelapia, 477.
 — *antiqua*, *Dendy**, 487, 519; mentd., 478, 479.
 — *australis*, *Carter*, 488, 489.
 — *nipponica*, 479, 488, 489.
Lenticulites complanata, *Defr.*, 641.
 — *rotulata*, *Lam.*, 625.
Lepralia ferox, *MacGill*, 311.
Leptodora kindtii, *Lilljeb.*, 421; distrib., 414, 415, 417, 419.
Leptomonas jaculans, *Berl.*, 460.
Leucaltis clathria, *Haeck.*, 477, 483.
Leucandra microrhaphis, *Dendy*, 482.
Leucetta chagosensis, *Dendy*, 477, 482.
 — *microrhaphis*, *Haeck.*, 477, 482.
 — *primigenia* var. *microrhaphis*, *Haeck.*, 482.
Leuconia dura, *Poléj.*, 482.
Leucosia, *Fabr.*, 26.
Leucosolenia grisea, *Dendy**, 480, 477, 518.
 — *protogenes*, *Haeck.*, 477, 480.
Leucothoë, *Leach*, 6.
 — *spincarpa*, *Chilt.*, 6.
Levers Water, crustacea, 423.
Liaccarus palmicinctum, *Mich.*, 379.
Limnocythere incisa in Africa, 420.
 — *mirabilis* in Switzerland, 420.
Limnocalanus grimaldii, *Guerne*, 427–435.
 — *macrurus*, *G. O. Sars*, 421, 426–436, 447; distrib., 414, 415, 418, 420.
Liviopse, *Gistel*, 542.
Lithodes, *Latr.*, 28, 56.
Littorella, *Berg.*, abundant in tarns, 423.
Lituola cenomana, *Carp.*, 614.
Lituolina irregularis var. *compressa*, *Goës*, 613.
Ljania bipapillata, *S. Thor.*, 388.
Lobelia, *Linn.*, in tarns, 423.
 Locust tree, mentd., 219.
Lomanotus genei, 570.
 Lord Howe Island Foraminifera, 599–646.
Loricaria, *Linn.*, mentd., 310, 312.
Loricaria, *Lamx.*, 312.
 — *egyptiaca*, *Aud.*, 310, 317.
 — *americana*, *Lamx.*, 312.
 — *europæa*, *Lamx.*, 312.
Loricula, *Curtis*, 312.
Loricula, *Templet.*, 312.
 — *loricata*, *Templet.*, 312.
 Low Water crustacea, 423.
Luidia maculata australiæ, *Döderlein*, 235; distrib., 229–230.
Lyctus brunneus, *Steph.*, method of oviposition and the egg of, 217–227; genital syst., 581–597.
 — *canaliculatus*, *Fabr.*, 217, 218, 581.
 — *carbonarius*, *Waltl.*, 218.
 — *cavicollis*, *Lec.*, mentd., 224.
 — *linearis*, *Goëze*, 224, 590; mentd., 217–222.
 — *oblongus*, *Oliv.*, 217.
 — *parallelopipedus*, *Melsh.*, mentd., 224.
 — *planicollis*, *Le Conte*, mentd., 218–225.
 — *pubescens*, *Panz.*, mentd., 218.
 — *sp.*, mentd., 218.
 — *striatus*, *Melsh.*, 217.
 — *unipunctatus*, *Herbst*, 217.
Lyprobius cristatus, *Buddle-Lund*, 107.
 Lyre-bird, courtship activities, 277.
Lyreidus, 26, 31–79.
 — *chanteri*, *Wood-Mason*, 26, 69.
 — *tridentatus*, *de Haan*, 25, 29, 30, 69, 77–79.
Macrocheles, *Berl.*, subgen., 366.
 — *vagabundus*, *Halb.**, 366.
 Madagascar, Two Isopods from, 107.
Madrella ferruginosa, *Ald. & Hauc.*, 523.
Mæra, *Leach*, 8.
 — *mastersii*, *Stebb.*, 9.

- Mæra tenella*, Walker, 2, 6.
 — *spinosa*, Hasw., 8.
 Mahogany, mentd., 217, 219.
 Male genitals of *Lyctus*, 583-585.
 Mandibles absent from *Chlorops*, 406.
Maplestonia, MacGill., 312.
 — *cirrata*, MacGill., 312.
Matuta, Hartm., 58, 67.
 Maxillary palps of *Chlorops*, 409.
 Mayflies, wing venation in, 143-162.
 Mediproboscis of *Chlorops*, 407.
Megalichthys, Agass.†, mentd., 211-212.
Megalopastes arenifibrosa, Dendy *, 509, 479.
Megamera mastersii, Hasw., 9.
 — *subcarinata*, Hasw., 9.
 — *thompsoni*, Miers, 9.
Megapus gibberipalpis, Piers., 388.
Melicerta, Schrank, 317.
Melicerita, M.-Edw., 313.
 — *charlesworthii*, Orb., 313.
 — *charlesworthii*, S. Wood, 313.
 — *dubia*, Busk, 313.
Melicertina, Ehrenb., 313, 317.
Melosira, Spreng., food of *Daphnia*, 416.
Membranicellaria, Lev., 313.
 — *dubia*, Lev., 313.
Membranipora magnilabris, Busk, 304.
 — *roborata*, Hincks, 306, 310, 345, 347.
 — *spinosa*, Quoy & Gaim., 304.
Menipea, Lamx. (pars), 348, 353, 356.
Menipea, Lamx., 306, 313, 315, 333, 359, 340, 358; bifurcation, 321, 324-326, 328-330; Craspedozoum group, 339.
 — *aculeata*, Busk, 355.
 — *apicata*, Harmer *, 343-346.
 — *benemunita*, Busk, 300, 331, 334.
 — *buskii*, W. Thoms., 357.
 — *buskii*, Waters, 313.
 — *cervicornis*, MacGill., 357.
 — *cirrata*, Lamx., 313.
 — *cirrata*, Busk, 339, 340.
 — *cirrhata*, Lamx., 313.
 — *clausa*, Busk, 351.
 — *compacta*, Hincks, 354.
 — *crispa*, Marcus, 313, 340, 359.
 — *crystallina*, MacGill., 357.
 — *cyathus*, W. Thoms., 357.
 — *duplex*, Lev., 352.
 — *fasciculata*, MacGill., 335.
 — *flabellum*, Lamx., 313, 340.
Menipea flabellum, Busk, 310, 340.
 — *flagellifera*, Busk, 343.
 — *genensis*, Busk, 356.
 — *funiculata*, 331.
 — *gracilis*, Busk, 354.
 — *gracilis*, Norm., 304.
 — *jeffreysii*, Norm., 351, 352.
 — *ligulata*, Lev., 319, 344-346, 360.
 — *longispinosa*, Yan. & Ok., 356.
 — *marginata*, Hincks, 332.
 — *maroniensis*, Busk, 318, 341, 342, 347, 360, 361.
 — *maroniensis* (pars), Busk, 335, 336, 341.
 — *multiseriata*, Busk, 347, 348.
 — *occidentalis*, Trask, 354.
 — *ornata*, 340.
 — *patagonica*, Busk, 321, 341.
 — *pateriformis*, Busk, 339.
 — *pribilofii*, Robertson, 354.
 — *quadrata*, 342.
 — *roborata*, Lev., 318, 319, 343-346, 348, 360.
 — *smittii*, Norm., 352.
 — *spicata*, 319, 328, 359, 360.
 — *sympodia*, Yan. & Ok., 355.
 — *ternata*, Hincks, 354.
 — *tricellata*, MacGill., 357.
 — *triseriata*, Busk, 319, 341, 342, 347, 359, 361.
 — *vectifera*, Harmer *, 295, 319, 339, 346, 348, 360.
Mesephemera cellulosa (Hagen)†, wing-veins, 151-152.
 Metazoa, 83.
Miliolina, Williamson, 604.
 — *aubेरiana*, Brady, 607.
 — — var. *semireticulata*, Heron-All. & Earl., 607, 646.
 — *bertheliniana*, Brady, 605.
 — *bicostata*, Goës, 607.
 — *bosciana*, Millett, 606.
 — *circularis*, Brady, 604.
 — *contorta*, Goës, 608.
 — *cultrata*, 605.
 — *cuvieriana*, Brady, 607.
 — *dilatata*, Heron-All. & Earl., 604.
 — *ferussacii*, Brady, 608.
 — *fichteliana*, Brady, 405.
 — *fusca*, Heron-All. & Earl., 608.
 — *kerimbatica*, Heron-All. & Earl., 608.

- Miliolina labiosa*, *Brady*, 604.
 laevigata, *Heron-All. & Earl.*, 606.
 — *linnaeana*, *Brady*, 609.
 — *oblonga*, *Heron-All. & Earl.*, 606.
 — *parkeri*, *Brady*, 608.
 — *reticulata*, *Brady*, 608.
 — *rotunda*, *Millet*, 606.
 — *schauinslandi*, *Rhumbl.*, 601.
 — *seminuda*, *Heron-All. & Earl.*, 605.
 — *seminulum*, *Brady*, 606.
 — *stelligera*, *Heron-All. & Earl.*, 609.
 — *striata*, *Heron-All. & Earl.*, 609.
 — *suborbicularis*, *Millet*, 605.
 — *subrotunda*, *Brady*, 605.
 — *triangularis*, *Jones, Parker & Brady*, 607.
 — *tricarinata*, *Brady*, 605.
 — *trigonula*, *Brady*, 605.
 — *undosa*, *Brady*, 607.
 — *undulata*, *Heron-All. & Earl.**, 607.
 — *valvularis*, *Brady*, 604.
 — *vulgaris*, *Heron-All. & Earl.*, 606.
 — *webbiana*, *Heron-All. & Earl.*, 605.
Miliolites planulata, *Lam.*, 603.
 — *trigona*, *Lam.*, 605.
Milioloculina undulata, *Heron-All. & Earl.*, 608.
Millepora miniacea, *Pall.*, 639.
Millericrinus, *Orb.*, 95.
Molge cristatus, 424.
Mononota, *Piep.*, 313, 317.
Monsella, *Canu* †, 313.
 — *eocena*, *Canu* †, 313.
Moorhen, courtship activities, 285.
Moraria brevipes, *G. O. Sars*, 437.
Morgan, Miss A., her theory of wing-veins in Dragonflies criticised, 143, 161.
Morphology of head of Chlorops, 399.
Mortensenia, *Döderlein*, mentd., 250.
 — *oblonga*, *Döderlein*, 250.
Mouth-parts of Chlorops, 399-410; of Crab, 115-142.
Mus sylvaticus, *Linn.* [*Sphalm. sylvestris*], 367.
Mycetobia, *Meig.*, 403.
Mycetophila, *Meig.*, 403.
Myonyssus decumanus, *Tirab.*, 367.
Myriophyllum, *Linn.*, in tarn, 423.
Mysis oculata, 433.
 — *relicta*, 420, 433.
Naegleria gruberi, *Alex.*, 469.
Nagara cristata, *Budde-Lund*, 107.
Nannonyx kilderi, *Chilt.*, 3.
Naresia, *W. Thoms.*, 313.
 — *cyathus*, *W. Thoms.*, 313.
Nassula, *Ehrens.*, 450.
Navtilus beccarii, *Linn.*, 637.
 — *crispus*, *Linn.*, 640.
 — *depressulus*, *Walk. & Jacob*, 639.
 — *lebatulus*, *Walk. & Jacob*, 635.
 — *macellus*, *Ficht. & Moll*, 640.
 — *melo*, *Ficht. & Moll*, 612.
 — *pertusus*, *Forsk.*, 610.
 — *repandus*, *Ficht. & Moll*, 636.
 — *striatus-punctatus*, *Ficht. & Moll*, 640.
 — *umbilicatus*, *Mont.*, 640.
Nebela collaris, *Leidy*, 453, 454, 471.
 — *lageniformis*, *Penard*, 457, 471.
Necromantes, *Gistel*, 542.
Nectria macrobrachia, *H. L. Clark**, 236 :
 distrib., 230, 232.
 — *ocellata*, *Perrier*, mentd., 237.
 — *ocellifera*, *Gray*, mentd., 237.
Nellia, *Busk*, 314.
 — *oculata*, *Busk*, 308, 314.
 — *simplex*, *Busk*, 314.
 — *tenella*, 314.
Nembrotha, *Bergh*, 567, 568, 569.
 — *nigerrima*, *Bergh*, 567.
 — *purpureolineata*, *O'Don.*, 523, 568, 578, 579.
Neoceratodus forsteri †, 179.
Neogenetic and neomorphic, use defined, 99.
Neophyllobius elegans, *Bert.*, 384.
 — *saxatilis*, *Halb.**, 384, 392.
Nephrops, *Leach*, 32, 45, 46.
 — *norvegicus*, 39, 41, 45, 78.
Nightingale, courtship activities, 263.
Nolella, *Gosse*, 309.
Nomenclature of Polyzoa, 294, 297-317.
Nonionina, *Orb.*, 639.
 — *canariensis*, *Orb.*, 613.
 — *depressula*, *Brady*, 639.
 — *pauperata*, *Balk. & Wright*, 640.
 — *umbilicula*, *Brady*, 640.
Notamia, *Busk*, 307.
Notamia, *Rafn.*, mentd., 314.
Notamia, *Flem.*, 314.
 — *bursaria*, *Flem.*, 314.
 — *loricata*, *Flem.*, 314.
Notaspis lacustris, *Michael*, 384.

- Notaspis monilipes*, Mich., 381.
Notodoris, *Bergh*, 564, 566.
 — *citrina*, *Bergh*, 564, 567.
 — *gardineri*, *Eliot*, 523, 565, 567, 578, 579.
 — *minor*, *Eliot*, 567.
Notoplites, *Harmer* *, 295, 314, 325, 327,
 329, 330, 339, 343, 347, 348, 358.
 — *antarcticus*, *Harmer* *, 352.
 — *aviculariæ*, *Harmer* *, 351.
 — *biloba*, *Harmer* *, 350.
 — *crateriformis*, *Harmer* *, 350.
 — *drygalskii*, *Harmer* *, 352.
 — *elongatus*, *Harmer* *, 351, 353.
 — *jeffreysii*, *Harmer* *, 351.
 — *marsupiatas*, *Harmer* *, 351, 352.
 — *normani*, *Harmer* *, 353.
 — *perditus* (?), *Harmer* *, 353.
 — *rostratus*, *Harmer* *, 295, 348, 348,
 359.
 — *simplex* (?), *Harmer* *, 353.
 — *smittii*, *Harmer* *, 352.
 — *tenuis*, *Harmer* *, 352.
 — *vanhöffeni*, *Harmer* *, 353.
 — *watersi*, *Harmer* *, 353.
Notopoides, 58, 66, 67, 68.
 — *latus*, *Henders.*, 26, 60.
Notopus, *Haan*, 31, 32, 41-79.
 — *Beyrichii* †, 52.
 — *dorsipes*, *Fabr.*, 25, 31, 48, 60-79.
 — *ovalis*, *Henders.*, 26.
Notosceles, *Bourne* *, 25, 48, 50, 58, 66, 67,
 70; genus descr., 73.
 — *chimonis*, *Bourne* *, 25, 31, 60, 74,
 77-79.
Nubecularia, *Defr.*, 601.
 — *bradyi*, *Millett*, 601.
 — *inflata*, *Brady*, 601.
 — *lucifuga*, *Defr.*, 601, 646.
 — *schauinslandi*, *Heron-All. & Earl.* *, 601,
 646; mentd., 599, 600, 602.
Nuclearia simplex, *Cienk.*, 457, 473.
Nymphaea, *Lin.*, in Highlow Tarn, 424.

 Oak, "Wainscot," mentd., 219.
 Occiput of *Chlorops*, 405.
 Ocelli of *Chlorops*, 405.
 Odonata, mentd., 144.
 O'Donoghue, C. H., *Opisthobranchiata*
 from Abrolhos, 521.
Oicomonas termo, *Kent*, 452, 457.

Oligometra carpenteri, *Bell*, mentd., 235.
 — *serripiinna*, *A. H. Clark*, 235; distrib.,
 231.
Onchidiopsis, *Bergh*, 92.
Onchoporella, *Busk*, 308, 314, 316.
 — *bombycina*, *Busk*, 314.
 — *buskii*, *Harmer* *, 295, 314.
 — *diaphana*, *Busk*, 314.
 — *ligulata*, *Busk*, 314.
Oniscigaster distans, *Eaton*, wing-veins,
 153, 158, 161.
 Ontogenies, phyletic succession, 83.
Operculina, *Orb.*, 641.
 — *complanata*, *Orb.*, 641.
Ophiactis savignyi, *Ljungman*, 246;
 distrib., 229, 232.
Ophiocoma brevipes, *Peters*, distrib., 232;
 mentd., 247.
 — — var. *variegata*, *H. L. Clark*, 247.
 — *dentata*, mentd., 247.
 — *döderleini*, mentd., 247.
 — *insularia*, mentd., 247.
 — *variegata*, *E. A. Smith*, 247.
Ophiolepis imbricata, *Müller & Troschel*,
 248.
 — *savignyi*, *Müller & Troschel*, 246.
Ophionereis porrecta, *Lyman*, 247; distrib.,
 232.
Ophioplocus imbricatus, *Lyman*, 248;
 distrib., 232.
Ophiothrix longipeda (*Lam.*), distrib., 232.
 — *michaelseni*, *Koehler*, 246; distrib., 230,
 232.
 — *spongicola*, *Stimp.*, 246; distrib., 229,
 230, 232.
 — *stelligera*, *Lyman*, 247; distrib., 230,
 232.
Ophiuroidea from West Australia, 246-248.
Ophrydium, *Ehrenb.* †, 450.
Opisthobranchiata from Abrolhos, 521.
Opisthograptis cratægata, 86.
Orbitolina spherulata, *Park. & Jones*,
 638.
 — *vesicularis*, *Park. & Jones*, 638.
Orbitolites, *Lam.*, 610.
 — *complanata*, *Lam.*, 611, 612.
 — — var. *plicata*, *Lam.*, 611.
 — *duplex*, *Carp.*, 610.
 Oviposition and the egg of *Lyctus brunneus*,
Steph., 217-227.
 Ovipositor of *Lyctus*, 586-595.

- Oribata lucasii, *Nic.*, 384.
 Oribatula oblonga, 380.
 — plantivaga, *Berl.*, 380.
 — tibialis, *Berl.*, 380.
Ornithoorina, *Orb.*, 314.
Ornithopora, *Orb.*, 314.
 — avicularia, *Orb.*, 314.
Ornithoporina, *Orb.*, 314.
 — avicularia, *Orb.*, 314.
 — flabellata, *Orb.*, 315.
 — *flabellata* (?), 315.
Orthothecium chryseum, *Schimp.*, 451.
 Owl, courtship activities, 289.
Oxytricha pelliionella, *Kent*, 457.
 — sp., 453.
- Pachychalina* sp. (?), 500.
Palæinachus, *Woodw.*, 52.
 Palæogenetic and palæomorphie, use defined, 99.
 Palæozoic Dipnoi, structure of (*Watson & Gill*), 163-216.
 Palps of Chlorops, 409.
Papilio dardanus, *Fabr.*, mimicry in, 290.
Paraglossæ of Chlorops, 408.
Paralelapia nipponica, *Hōzawa*, 488.
 Parapostgenal thickening in Chlorops, 406.
Parasterina crassa, *Fisher*, 243; distrib., 230.
Parawaldeckia, *Stebb.*, 3.
 — *kidderi*, *Tatt.**, 2, 3, 18.
 — *Thomsoni*, *Stebb.*, 3.
Parharpinia, *Stebb.*, 4, 5.
 — *villosa*, *Stebb.*, 2, 4, 18.
 Paroccipt of Chlorops, 405.
Patellina, *Williams.*, 629.
 — *corrugata*, *Williams.*, 629.
Patiria (?) *crassa*, *Gray*, 243.
Pavonina, *Orb.*, 619.
 — *flabelliformis*, *Orb.*, 619.
 Peacock, courtship activities, 277, 280, 287, 290.
 Peewit, courtship activities, 277.
 Pelican, courtship activities, 269, 282.
Peltigera, *Willd.*, mite on, 379.
Peneroplis, *Montf.*, 610.
 — *carinatus*, *Orb.*, 610.
 — *pertusus*, *Brady*, 610.
 Penguins, courtship activities, 282, 285.
- Pennatulacea from Abrolhos, 21.
Pentagonaster, *C. F. Schultze*, mentd., 243.
 — *dübeni*, *Gray*, mentd., 238.
 — *stibarus*, *H. L. Clark*, 208; distrib., 230, 232.
Pentlandia †, mentd., 212-213.
 Peregrine, courtship activities, 280.
Periscyphops præconius, *Budde-Lund*, 108.
Petalomonas angusta, 457, 465.
Petalostegus, *Lev.*, 315.
 — *bicornis*, *Lev.*, 315.
Petrasia dura, *Fosm.*, 478, 498.
 Petrels, courtship activities, 281.
Petricia obesa, *H. L. Clark**, 241; distrib., 230, 232.
 — *vernicina*, mentd., 242.
Phalanterium consociatum, *Fres.*, 463, 465.
 — *digitatum*, *Stein*, 463, 465.
 — *solitarium*, *Sandon**, 463, 464, 475; mentd., 457.
Phaneropleuron †, mentd., 204, 212-213.
Phaulocylliba virgata, *Halb.**, 377-379.
 Pheasants, courtship activities, 277, 280, 290.
Phidiana inca, 570.
 — *lynceus*, 570.
Philyra brevis, 40, 54.
 — *lævis*, 72, 79.
Phylxia undecimspinoso, 54.
Phlœodictyon abrolhosensis, *Dendy**, 478, 500, 519.
 — *seychellense*, *Dendy*, 501.
 — sp., 501.
Phoronis, *Wright*?, 393, 398.
Phryganella, *Penard*, 470.
 — *nidulus*, *Penard*, 470.
 Phyletic succession, 83.
Phyllirhoë lichtensteini, *Eschsch.*, 522.
Phyllomitris sp., 452, 465.
Phyllotegeus palnicinctum, *Halb.**, 379.
Phoxus batei, *Hasw.*, 5, 6.
 — *villosus*, *Hasw.*, 4, 5.
Physcia, *DC.*, mite on, 380.
 Pigeon, courtship activities, 276, 285.
Placobranchus, *Hass.*, 539, 540.
 — *expansa*, *O'Don.**, 523, 539, 578.
Placopsilina, *Orb.*, 614.
 — *cenomana*, *Orb.*, 614.
Planicellaria, *Orb.* †, 315.
 — *eocena*, *Meun. & Perg.* †, 313.
 — *fenestrata*, *Orb.* †, 315.

- Planicellaria oculata*, *Orb.* †, 315.
Planispirina, *Seg.*, 609.
 — *auriculata*, *Egg.*, 609.
Plankinastrella mammillaris, *Lendenf.*, 489.
 Plankton, Crustacean, of English Lakes,
 411-447.
Planorbulina, *Orb.*, 635.
 — *larvata*, *Brady*, 635.
 — *mediterraneensis*, *Orb.*, 635.
 — *rubra*, *Orb.*, 638.
 — *vulgaris* var. *larvata*, *Park. & Jones*,
 635.
Plecanium rugosum, *Reuss*, 618.
 Plectoptera, wing venation in (*Tillyard*),
 143-162.
Pleurobranchus (pars), *Bergh*, 536.
 — *ornatus*, *Cheesm.*, 538.
 Plover, Ringed, courtship activities, 287.
Policella australis, *Gray*, 21, 22.
Polyaspinus cylindricus, *Berl.*, 376, 392.
Polymastia, *Bowerb.*, 509.
 — *mammillaris*, *Bowerb.*, 479, 509.
Polymorphina, *Orb.*, 625.
 — *communis*, *Orb.*, 625.
 — *problema*, *Orb.*, 625.
 — *regina*, *Brady, Park. & Jones*, 626.
Polyphemus pediculus, *Straus*, 425; distrib.,
 414, 418, 424.
Polypterus larvæ, 85.
Polystomella, *Lam.*, 640.
 — *crispa*, *Brady*, 640.
 — *macella*, *Brady*, 640.
 — *milletiana*, *Heron-All. & Earl.*, 640.
 — *striato-punctata*, *Brady*, 640.
 — *verruculata*, *Millett*, 640.
Polytrema, *Risso*, 639.
 — *miniacum*, *Brady*, 639.
 — — var. *alba*, *Carter*, 639.
 Polyzoa, Cellularine, 293.
Pontharpinia, *Stebb.*, 4, 5.
 — *rostrata* (*Dana*), 5, 6.
 — *uncinata*, *Chev.*, 6.
 — *villosa*, *Tatt.*, 6.
Porcellana, *Klein*, 28, 31, 56.
Porcellanopagurus, *Filh.*, 28, 56.
Poricellaria, *Orb.* †, 315, 322.
 — *alata*, *Orb.* †, 315.
Porcellio cristatus, *Dollf.*, 107.
Porocrinus, *Bill.*, 94.
Portunio, *Giard*, 86, 90.
 Postgenæ of Chlorops, 405.
Potamobius, *Leach*, 39.
 Powder-post beetles, 217-227.
Prionocidaris baculosa var. *annulifera*,
Mortensen, 248; distrib., 232.
 — *bispinosa* var. *chinensis*, *Döderlein*,
 248; distrib., 232.
Prodinychus, *Berl.*, subgen., 379.
Prorodon, *Ehrenb.*, mentd., 450.
Protereisma sp. †, wing-veins, 144-161.
Protocarcinus, 52.
Protolælaps, *Berl.*, subgen., 363.
Protozoa, 83; from Spitsbergen, 449.
Psammopemna crassum, *Lendenf.*, 479, 511.
Pseudoboletia indiana, *A. Agassiz*, 249;
 distrib., 232.
Pseudoesperia carteri, *Dendy**, 479, 500,
 503, 519.
 — *enigmatica*, 500.
 — *trichophora*, *Dendy**, 479, 509.
Pterodoris, *Ehrenb.*, 553.
 — *picta*, *Ehrenb.*, 553.
Pteroides griseum, 23.
 — *hymenocaulon*, *Broch*, 21, 23.
 — *malayense*, 23.
 — sp., 22.
Ptilinum of Chlorops, 404.
Ptychodera capensis, *Gilchr.*, 393-398.
 — *flava*, 397.
 — *minuta*, 397.
 — *natalensis*, *Gilchr.*, 393.
 — *proliferans*, *Gilchr.*, 393-398.
Pulvinulina, *Park. & Jones*, 636.
 — *canariensis*, *Brady*, 636.
 — *concentrica*, *Park. & Jones*, 636.
 — *crassa*, *Brady*, 636.
 — *elegans*, *Brady*, 637.
 — *lateralis*, *Brady*, 636.
 — *repanda*, *Brady*, 636.
 — *truncatulinoides*, *Heron-All. & Earl.*,
 636.
 Pygopodes, courtship activities, 266.
Quadrula irregularis, *Arch.*, 453, 457, 471.
Quercus Robur, *Lim.*, mentd., 219.
Quinqueloculina auberiana, *Orb.*, 607.
 — *bicostata*, *Orb.*, 607.
 — *bosciana*, *Orb.*, 606.
 — *contorta*, *Orb.*, 608.
 — *cuvieriana*, *Orb.*, 607.
 — *dilatata*, *Orb.*, 604.
 — *ferussacii*, *Orb.*, 608.

- Quinqueloculina fusca*, Brady, 608.
 — *kerimbatica*, Cushm., 608.
 — *ornatissima*, Karrer, 609.
 — *schauinslandi*, Cushm., 601.
 — *seminuda*, Orb., 605.
 — *stelligera*, Orb., 609.
 — *striata*, Orb., 609.
 — *triangularis*, Orb., 607.
 — *undosa*, Karrer, 607.
 — *undulata*, Orb., 607.
 — *vulgaris*, Orb., 606.
 — "with oblique ridges," Park., 608.
- Rachochoris*, Mörch, 560.
 — *laciniata*, auct., 560.
- Ramulina*, R. Jones, 627.
 — *grimaldii*, Schlumb., 627, 646.
 — *proteiformis*, Flint, 627.
 — sp.?, Heron-All. & Earle., 627.
- Ranilia*, M. Edw., 48, 61, 63.
 — *muricata*, M. Edw., 26, 61.
- Ranina*, Lam., 25-72
 — *dentata*, Latr., 25, 29, 36, 39, 48, 77.
 — *marestiana*, 52.
- Raninella* Trigeri, 52.
 — *elongata*, 52.
- Raninidae*, 25-79.
- Raninoides*, Edw., 66, 68, 69, 70, 71, 73, 75.
 — *personatus*, White, 25, 77-79.
 — *serratifrons*, Henders., 74.
- Raphidiophrys brunii*, Penard, 473.
- Razorbills, courtship activities, 281.
- Recapitulation restated, 81-101.
- Redshank, courtship activities, 287.
- Redstart, courtship activities, 287.
- Remora*, Will., 90.
- Reniera aqueductus*, O. Schmidt, 478, 496.
 — *cribricutis*, Dendy, 478, 497.
 — *dura*, Nardo, 498.
 — *permollis*, Tops., 497.
 — spp., 478, 498.
- Reproduction, asexual, in Pterychodera, 393.
- Reproductive organs in Coleoptera, 591.
- Retepora cornea*, Busk, 315.
- Retiflustra*, Lev., 311, 315.
 — *cornea*, Harmer*, 315.
 — *cribriformis*, Lev., 315.
 — *reticulum*, 315.
 — *schönaui*, Lev., 315.
- Rhabdophaga*, Westw., 403.
- Rhabdozoum*, Hincks, 315.
- Rhabdozoum wilsoni*, Hincks, 315.
- Rhacodes inscriptus*, Koch, 103.
- Rhaphignathus clavatus*, Berl., 385.
 — *longipilis*, Halb*, 386.
 — *patrius*, Berl., var. *brevipalpis*, Träg., 386, 392.
 — — var. *truncatus*, Halb*, 385.
 — sp., 386.
- Robinia Pseudacacia*, Linn., mentd., 219.
- Rosalina araucana*, Orb., 631.
 — *globularis*, Orb., 631.
 — *lateralis*, Terq., 636.
 — *mediterraneensis*, Orb., 631.
 — *poeyi*, Orb., 630.
 — *rugosa*, Orb., 632.
 — *valvulata*, Orb., 632.
 — *vilardoboana*, Orb., 631.
- Rostanga pulchra*, 566.
- Rotalia*, Lam., 637.
 — *beccarii*, Orb., 637.
 — *beccarii* (pars), Balk. & Wright, 637.
 — *elegans*, Orb., 637.
 — *perlucida*, Heron-All. & Earle., 637.
 — *praecincta*, Karrer, 636.
 — *spiculotesta*, Carter, 617.
- Rotalina canariensis*, Orb., 636.
 — *crassa*, Orb., 636.
 — *ochracea*, Williams., 616.
 — *rosacea*, Orb., 631.
 — *truncatulinoides*, Orb., 636.
 — *ungariana*, Orb., 635.
- Ruff, courtship activities, 277.
- Sacchohydra*, Bill., 315.
 — *problematica*, Bill., 315.
- Sagenella frondescens*, Brady, 613.
- Sagenina*, Chapm., 613.
 — *frondescens*, Chapm., 613.
- Sagenodus*, Owen †, structure, 163-188;
 mentd., 163, 190-215.
 — *copeanus* †, mentd., 181.
 — *imbricatus* †, 178.
 — *inequalis*, Owen †, mentd., 164.
 — *obliquus* †, 178.
- Sagrina*, Park. & Jones, 626.
 — *columellaris*, Brady, 626.
 — *raphanus*, Brady, 627.
- Sainou* on *Sandon**, 459, 475; mentd., 450.
 — *mikroteron*, *Sandon**, 459; mentd., 450, 460, 475.
 — *oxu*, *Sandon**, 460; mentd., 451, 467, 468, 475.

- Salicornaria*, *Schinz*, 315.
Salicornaria, *Schweig.*, 315.
 — *dichotoma*, *Busk*, 314.
 — *dichotoma*, *Schweig.*, 303, 314, 315.
 — *faracinoides*, *Johnst.*, 303.
Salicornia, *Blainv.*, 315.
Salmacis alexandri, *Bell*, 249.
 — *virgulata*, *Ag. & Des.*, distrib., 232.
 — *virgulata alexandri*, *Döderlein*, 249.
Salmo alpinus, 420.
Salpingia, *Copp.*, 316.
 — *hassallii*, *Copp.*, 316.
Sandon, A., Protozoa from Spitsbergen, 449.
Sarciflustra, *Jull. & Calv.*, 311, 316.
 — *abyssicola*, *Jull. & Calv.*, 316.
Scaumenacia †, *mentd.*, 212-213.
Schmidtia dura, *Bals.*, 498.
Scirus inermis, *Träg.*, 383, 392.
Sciulus minutus, *Halb.*, 374.
 — *spathuliger*, *Leon.*, 374.
Sciurus vulgaris *Linn.*, 369.
Scruparia, *Oken*, 316.
 — *chelata*, *Oken*, 316, 317.
 — *clavata*, *Hincks*, 316.
 — *diaphana*, *Busk*, 314.
 — *reptans*, *Verr.*, 316.
Scrupocellaria (pars), 348.
Scrupocellaria, *Van Bened.*, 304, 316, 329,
 357, 358; bifurcation, 321, 322.
 — *abyssicola*, *Kluge*, 335.
 — *antarctica*, *Waters*, 352.
 — *avicularia*, *Yan. & Ok.*, 351.
 — *benemunita*, *Jull.*, 334.
 — *bertholletii*, *Aud.*, 358.
 — *bifurcata*, *Kluge*, 356.
 — *caberioides*, *Kluge*, 335.
 — *drygalskii*, *Kluge*, 352.
 — *ferox*, 326, 359.
 — *flagellifera*, *Kluge*, 343.
 — *fuegensis*, *Waters*, 356.
 — *funiculata*, *Waters*, 335.
 — *gaussi*, *Kluge*, 338.
 — *marsupitata*, *Jull.*, 351.
 — *perdata*, *Kluge*, 353.
 — *simplex*, *Kluge*, 353.
 — *smithii*, *Waters*, 352.
 — *solida*, *Kluge*, 338.
 — *tenuis*, *Kluge*, 352.
 — *vanhöffeni*, *Kluge*, 353.
 — *watersi*, *Kluge*, 353.
Scrupocellaridæ, 328, 338.
Scruparia, *Gray*, 316.
Scupocellaria, *Gray*, 316.
Scylla pelagica *Linn.*, 522.
 Sea-pens from Abrolhos, 21.
Seius bicornis, *Can. & Fan.*, 375.
 — *cornutus*, *Kram.*, 366.
 — *togatus*, *C. L. Koch*, 374.
Seiulus plumosus, *Oudem.*, 369.
Sejus bicornis, *Can.*, 375.
Selbia, *Gray*, 316.
 — *zelandica*, *Gray*, 316.
Semiflustra, *Orb.*, 308, 316.
 — *bombycina*, *Orb.*, 308, 316.
Serpula marginata, *Walk. & Boys*, 624.
 — *semiculum*, *Linn.*, 606.
Sertularia anguina, *Linn.*, 297, 298, 304, 308.
 — *avicularia*, *Linn.*, 299, 300, 314.
 — *bursaria*, *Linn.*, 311, 314.
 — *chelata*, *Linn.*, 307, 316, 317.
 — *ciliata*, *Linn.*, 298, 306, 307.
 — *cornuta*, *Linn.*, 307, 308, 317.
 — *eburnea*, *Linn.*, 306, 307.
 — *fastigiata*, *Linn.*, 306.
 — *loricata*, *Linn.*, 307, 310, 312, 314.
 — *neritina*, *Linn.*, 297, 299.
 — *repens*, *Ell. & Sol.*, 316.
 — *scruposa*, *Linn.*, 316.
 — *spiralis*, *Olivi*, 309.
Sida, *Strauss* (crustacean), 415.
 — *crystallina*, *O. F. Muell.*, 421, 422,
 439; distrib., 414.
 — *limnetica*, *Burck.*, 440.
Sigmosceptrella fibrosa, *Dendy*, 479, 507.
Siphuridæ, *mentd.*, 144.
Skua, *mentd.*, 258, 260.
 Sparrow-Hawk, courtship activities, 289.
 Sparrow, House-, courtship activities, 267.
Spatangus australasiae, *Leach*, 251.
Spathidium, *Looss*, 450.
Sphærostoma, *MacGill.*, 544, 564.
 — *dakini*, *O'Don.*, 523, 543, 545, 577, 578.
 — *homborgii*, 542.
 — *jamesonii*, *MacGill.*, 542.
Sphagnum pools crustacea, 424.
Spiralaria, *Busk*, 311, 316.
 — *florea*, *Busk*, 316.
Spiralis, *Lev.*, 316.
Spirastrella vagatunda, *Ridl.*, 479, 507.
Spirillina, *Ehrenb.*, 628.
 — *campanula*, *Heron-All. & Earl.* *, 628,
 629, 646.

- Spirillina decorata*, *Brady*, 628.
 — — var. *unilatera*, *Chapm.*, 628.
 — *limbata*, *Brady*, 628.
 — *lucida*, *Sideb.*, 629.
 — *revertens*, *Rhumb.*, 629.
 — *vivipara*, *Ehrenb.*, 628.
Spiroculina, *Orb.*, 603.
 — *acutimargo*, *Brady*, 603, 604.
 — *affixa*, *Terq.*, 604.
 — *antillarum*, *Orb.*, 603.
 — *canaliculata*, *Orb.*, 603.
 — *planiculata*, *Brady*, 603.
 — *tenuirostra*, *Karver*, 604, 646.
Spiromonas angusta, *Kent*, 452, 463.
 — *angustator*, *Duj.*, 457.
Spirophora bacterium, *Lendenf.*, 507.
 — *digitata*, *Lendenf.*, 507.
Spiroplecta, *Ehrenb.*, 620.
 — *biformis*, *Brady*, 620.
 Spitsbergen Protozoa, 449.
Spianchnotrophus, *Hanc. & Norm.*, 570.
 — *brevipes*, 569, 570.
 — *gracilis*, *Hanc. & Norm.*, 569, 571, 573, 579.
 — *sacculatus*, *O'Don.*, 571, 573.
 — sp., 570.
Spongelia dakini, *Dendy* *, 479, 511.
 — *incerta*, *Hyatt*, 513.
 — *spinosa*, *Hyatt*, 513.
 Sponges from Abrolhos, 477.
Spongia bilamellata, *Lam.*, 504.
 — *palmata*, *Lam.*, 499.
Steganoporella magnilabris, 304.
Stellaster incei, *Gray*, 238; *distrib.*, 232.
Stelletta australiensis, *Carter*, 492.
 — *brevis*, *Hentsch.*, 478, 490.
 — *debilis*, *Thiele*, 478, 491.
 — *sigmatræna*, *Lendenf.*, 478, 491.
Stephanocrinus, *Conr.*, 94.
Stigmæus anthrodes var. *reticulatus*,
Halb. *, 387, 392.
Stirparia, *Goldst.*, 295, 317.
 — *annulata*, *Goldst.*, 317.
Stirparia, *Leuck.*, *mentd.*, 317.
Stirpariella, *Harmer*, *nom. nov.* *, 295, 301,
 317, 325-327, 359.
 — *annulata*, *Harmer* *, 317.
 — *carabaica*, *Lev.*, 326.
 — *zanzibariensis*, *Waters*, 325.
Stolonella, *Hincks*, 317.
 — *clausa*, *Hincks*, 317.
Strophidium, term defined, 33.
Stylonychia sp., 453.
Suberites captus, *Lendenf.*, 508.
 — *spissus*, *Tops.*, 508.
 Swans, courtship activities, 278, 281,
 289.
Swartzia montana, *Lindb.*, 450.
Sycon gelatinosum, *Blainv.*, 477, 483.
Synnota, *Piep.*, 317.
Synnotum, *Hincks*, 310, 313, 317.
 — *ægyptiacum*, *Harmer* *, 317.
 — *aviculare*, *Hincks*, 317.
Synnura uvella, *Ehrenb.*, 450.
 Tabanus, *Linn.*, 403, 409.
 Tarns, crustacea, 422.
Tarsonemus brevipes, 382.
 — *culmicolus*, *Reut.*, 381.
 — *floricolus*, 382.
 — — *laticeps*, *Halb.* *, 381, 392.
 — *spirifex*, *March.*, 382.
 Tattersall, W., Abrolhos Amphipoda and
 Isopoda, 1-19.
Tauroglossus, *Speng.*, 393.
 Tentorium of Chlorops, 399-403.
Ternicellaria, *Orb.*, 317, 353.
 — *aculeata*, *Orb.*, 317.
 Terrestrial Isopods, 103, 107.
Tethea robusta, *Bowerb.*, 495.
Tethya cliftoni, *Ridl.*, 495.
 — *globostellata*, *Lendenf.*, 495.
 — *ingalli*, *Kirkp.*, 495.
 — *lyncurium*, *Row*, 495.
 — *multivstella*, *Lendenf.*, 495.
Tethyophæna silicifica, *O. Schmidt*, 508.
 Tethys, *Linn.*, 527, 528.
 — *denisoni*, 523, 531, 577, 578.
 — *gigantea*, 522, 523, 528, 529, 531, 533,
 577, 578.
 — *punctata*, 529, 531, 532.
Textularia, *Defr.*, 617.
 — *abbreviata*, *Orb.*, 618.
 — *agglutinans*, *Orb.*, 618.
 — — var. *abbreviata*, *Park. & Jones*, 615,
 618, 619.
 — — var. *biformis*, *Park. & Jones*, 620.
 — *candeiana*, *Orb.*, 618.
 — *conica*, *Orb.*, 619.
 — — var. *jugosa*, *Jones & Millett*, 619.
 — *crispata*, *Brady*, 617.